

# LIGHTING

## **INTELLIBRITE**<sup>®</sup> ARCHITECTURAL SERIES POOL & SPA LIGHTING



IntelliBrite Architectural Series Pool Light IntelliBrite Architectural Series Spa Light

Our most brilliant lighting innovation yet. Our improved patented design is the next generation of LED technology.

#### **Ordering Information**

#### **Featured Highlights**

- More light, more energy efficient now 60% brighter and 50% more energy efficient\*
- Spreads light widely and evenly in all directions using a 3D light engine and convex lens
- Provides cleaner white light with no color separation thanks to improved optics
- Color for every mood with five brilliant color lights and seven dynamic color-changing light shows
- High-quality components add durability to the dazzle due to long-lasting construction
- Compatibility with Pentair 10" and 6" niches enables an ideal upgrade from incandescent or first-generation LED lights
- Adds instant ambiance with easy customer pool control through a Pentair automation system, if available, or a Color Sync<sup>™</sup> Controller for Pentair Color LED Lights


CALIFORNIA PROPOSITION 65 WARNING WARNING: Cancer and Reproductive Harm. AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur. ADVERTENCIA: Cáncer y Daño Reproductivo. www.p65warnings.ca.gov.

Product Number By Cord Length (Feet)								
30'	50′	100′	150′	250'	Size	Model	Voltage	Power
		INTE	LLIBRITE AR	CHITECTURA	L SERIES POOI	L & SPA LIGHTING		
602185	602186	602187	602188	602206	Pool	Color	120V	28W
602151	602152	602153	602154	—	Pool	Color	12V	28W
602201	602202	602203	602204	602205	Spa	Color	120V	18W
602197	602198	602199	602200	—	Spa	Color	12V	18W
602181	602182	602183	602184	602207	Pool	White, 300W Equivalent	120V	26W
602143	602144	602145	602146	—	Pool	White, 300W Equivalent	12V	26W
602177	602178	602179	602180	602208	Pool	White, 500W Equivalent	120V	31W
602139	602140	602141	602142	—	Pool	White, 500W Equivalent	12V	31W
602193	602194	602195	602196	602209	Spa	White, 100W Equivalent	120V	18W
618015	618016	618017	618018	—	Spa	White, 100W Equivalent	12V	18W
602189	602190	602191	602192	602221	Pool	Warm White	120V	31W
602147	602148	602149	602150	—	Pool	Warm White	12V	31W
602225	602226	602227	602228	602229	Spa	Warm White	120V	18W
602238	602239	602240	602241	—	Spa	Warm White	12V	18W
_	_	_	602236	_	Pool	Turtle	12V	31W
_	_	_	602223	_	Pool	Turtle	120V	31W
_	_	_	602242		Spa	Turtle	12V	18W
_	_	_	602231	_	Spa	Turtle	120V	18W

\*Compared to Pentair IntelliBrite 5G Color LED Pool Light in white color mode only. The IntelliBrite Architectural Series delivers higher lumen output depending on color mode, ranging from 28%–141% brighter, while energy efficiency improvements range from 17–58% based on color mode.

Appearance of color and white LED light may vary between various models of lights. Appearance and perception of pool lighting may vary depending on a number of factors including, but not limited to, the particular model of light, the location/depth/angle of the light's installation, pool finish/material, pool depth/shape/geometry, ambient light sources, subjective factors and more. For best results when using multiple lights, use all the same model and do not mix multiple models of lights within a single installation.

# **INTELLIBRITE**<sup>®</sup> ARCHITECTURAL SERIES POOL & SPA LIGHTING





\*Compared to Pentair IntelliBrite 5G Color LED Pool Light in white color mode only. The IntelliBrite Architectural Series delivers higher lumen output depending on color mode, ranging from 28%-141% brighter, while energy efficiency improvements range from 17-58% based on color mode.

Certifications



## MICROBRITE® COLOR AND WHITE LED LIGHT

## **TRADE**GRADE



Give pools a brilliant lighting upgrade without the installation difficulties.

Only 3.5-in. long, MicroBrite lights fit easily into standard 1.5-in. wall fittings and are suitable for retrofit into many pools with older fiber optic systems.

Note: Only MicroBrite White and Warm White lights have three different brightness levels. MicroBrite Color lights have one brightness level.

All Pentair UL Listed underwater lights are certified for use in fresh water with up to 6,000 ppm salinity.

#### **Ordering Information**

#### **Featured Highlights**

- Energy-saving, LED efficiency from one of the industry's most compact 12V LED plastic light
- Only 3.5 inches long, fits into narrow walls and tight spaces, can be installed horizontally or vertically
- No niche required installs in any standard 1.5 inch pool wall fitting
- Connect to any Pentair control system or the Pentair Color Sync<sup>™</sup> Controller
- MicroBrite Color Lights allow five predetermined fixed colors or seven popular "color shows" that come preprogrammed into the MicroBrite Light
- MicroBrite White and Warm White lights allow the selection of three brightness levels (100%, 75% and 50%)

CALIFORNIA PROPOSITION 65 WARNING

MARNING: Cancer and Reproductive Harm.

AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur

ADVERTENCIA: Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

Product	Description	Color		Cord Length	Voltage	Watts
		MICROBRITE LED LIGHT				
620424	MicroBrite Light	Color LED	One	50'	12V	12W
620425	MicroBrite Light	Color LED	One	100'	12V	12W
620426	MicroBrite Light	Color LED	One	150'	12V	12W
602214	MicroBrite-G Light	Color LED, for installation in Pentair GloBrite NIche or Pentair ColorVision Bubbler	One	100'	12V	12W
602166	MicroBrite-G Light	Color LED, for installation in Pentair GloBrite NIche or Pentair ColorVision Bubbler	One	150'	12V	12W
620428	MicroBrite Light	White LED	One	50'	12V	12W
620429	MicroBrite Light	White LED	One	100'	12V	12W
620430	MicroBrite Light	White LED	One	150'	12V	12W
602213	MicroBrite-G Light	White LED, for installation in Pentair GloBrite Niche or Pentair ColorVision Bubbler	One	100'	12V	12W
602165	MicroBrite-G Light	White LED, for installation in Pentair GloBrite Niche or Pentair ColorVision Bubbler	One	150'	12V	12W
602156	MicroBrite Light	Warm White LED	One	50'	12V	12W
620457	MicroBrite Light	Warm White LED	One	100'	12V	12W
602155	MicroBrite Light	Warm White LED	One	150'	12V	12W
602215	MicroBrite-G Light	Warm White LED, for installation in Pentair GloBrite Niche or Pentair ColorVision Bubbler	One	100'	12V	12W
602167	MicroBrite-G Light	Warm White LED, for installation in Pentair GloBrite Niche or Pentair ColorVision Bubbler	One	150'	12V	12W
602157	MicroBrite Light	Turtle Edition*	One	150'	12V	12W

\*620nm red/orange light, for special oceanfront pool applications in certain areas with regulations intended to protect sea turtles.

Note: Appearance of color and white LED light may vary between various models of lights. Appearance and perception of pool lighting may vary depending on a number of factors including, but not limited to, the particular model of light, the location/depth/angle of the light's installation, pool finish/material, pool depth/shape/geometry, ambient light sources, subjective factors and more. For best results when using multiple lights, use all the same model and do not mix multiple models of lights within a single installation.

# **MICROBRITE®** COLOR AND WHITE LED LIGHT


Product	Description	Color	Lights	Cord Length	Voltage					
	MICROBRITE COMBO KITS WITH 300 WATT TRANSFORMER									
602130	MicroBrite 2 Light Combo Kit	Color LED	Two	100'	12V					
602131	MicroBrite 2 Light Combo Kit	White LED	Two	100'	12V					
602132	MicroBrite 2 Light Combo Kit	Warm White LED	Two	100'	12V					
602133	MicroBrite 4 Light Combo Kit	Color LED	Four	100'	12V					
602134	MicroBrite 4 Light Combo Kit	White LED	Four	100'	12V					
602135	MicroBrite 4 Light Combo Kit	Warm White LED	Four	100'	12V					

Note: A 300W transformer is included in each combo kit. Transformer is 120V input, 12V-14V output.

Product	Description
	REPLACEMENTKITS
620460	MicroBrite Light Adaptor, Replacement
620459	Installation Tool, Replacement. (Hex/Wrench Style)
602158Z	Installation Tool, Replacement (Hand/Grip Style)
620463	Conduit Seal O-Ring, Replacement
618040	Adapter for MicroBrite to GloBrite Niche
640085Z	Adapter for MicroBrite to HiLite Niche

Product	Voltage	Wattage
TRAN	SFORMERS (LANDSCAPE POOL	RATED)
619962	120V Input, 12-14V Output	100W
619963	120V Input, 12-14V Output	300W

#### **Dimensions and Certifications**



# **GLOBRITE<sup>®</sup> WHITE AND COLOR LED LIGHTS** UNDERWATER LED LIGHTS FOR SWIMMING POOLS AND SPAS



Note: Only GloBrite White lights have three different brightness levels. GloBrite Color lights have one brightness level.

#### **Featured Highlights**

- Advanced technology for energyefficient high quality pool lighting
- Can be placed in as little as 4 in. of water, even in the floor pointing up
- Does not require grounding or bonding for quick and easy installations
- Five brilliant fixed colors and seven pre-programmed light shows
- Compatible with all Pentair Lighting Controllers and Automation Systems for advanced control features
- Compatible with gunite/concrete, fiberglass and vinyl pools

CALIFORNIA PROPOSITION 65 WARNING

▲ WARNING: Cancer and Reproductive Harm. ▲ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur ▲ ADVERTENCIA: Cáncer y Daño Reproductivo. www.p65warnings.ca.gov.

#### **Ordering Information**

Product	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)		Product	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)
	GLOBRITE COLOR LED LIGHTS							GLC	BRITE WHI	TE LED LIO	GHTS	
602053	12	15W	30	1	5		602102	12	15W	30	1	5
602054	12	15W	50	1	6		602103	12	15W	50	1	6
602055	12	15W	100	1	9		602104	12	15W	100	1	9
602056	12	15W	150	1	12		602105	12	15W	150	1	12

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
	GLOBRITE NICHES		
620040	Gunite/Concrete Niche for GloBrite (includes white, blue, black, gray and tan rings)	1	1.3
620039	Vinyl Niche for GloBrite (includes white, blue, and gray rings)	1	1.3
620041	Fiberglass Niche for GloBrite (white)	1	1.3
620093	Fiberglass Niche for GloBrite (blue)	1	1.3
620094	Fiberglass Niche for GloBrite (gray)	1	1.3
	GLOBRITE COLOR KITS, INCLUDING NICHE & TRANSFORMER	۲	
619993	1 GloBrite Color 100 ft. with 300W Transformer + Gunite Niche	1	25
619994	2 GloBrite Color 100 ft. with 300W Transformer + 2 Gunite Niches	1	40
620051	1 GloBrite Color 100 ft. with 300W Transformer + Fiberglass Niche	1	25
620052	2 GloBrite Color 100 ft. with 300W Transformer + 2 Fiberglass Niches	1	40
620080	1 GloBrite Color 100 ft. with 300W Transformer + Vinyl Niche	1	25
620081	2 GloBrite Color 100 ft. with 300W Transformer + 2 Vinyl Niches	1	40

NOTE: Appearance of color and white LED light may vary between various models of lights. Appearance and perception of pool lighting may vary depending on a number of factors including, but not limited to, the particular model of light, the location/depth/angle of the light's installation, pool finish/ material, pool depth/shape/geometry, ambient light sources, subjective factors and more. For best results when using multiple lights, use all the same model and do not mix multiple models of lights within a single installation.

# **GLOBRITE° WHITE AND COLOR LED LIGHTS (CONT'D)**

UNDERWATER LED LIGHTS FOR SWIMMING POOLS AND SPAS

#### **Ordering Information**

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
	GLOBRITE WHITE KITS, INCLUDING NICHE & TRANSFORMER		
602106	2 GloBrite White 100 ft. with 300W Transformer + 2 Gunite Niches	1	40
602107	2 GloBrite White 100 ft. with 300W Transformer + 2 Fiberglass Niches	1	40
602108	2 GloBrite White 100 ft. with 300W Transformer + 2 Vinyl Niches	1	40
	TRANSFORMERS (LANDSCAPE AND POOL RATED)		
619962	120V Input, 12-14V Output 100W	1	12
619963	120V Input, 12-14V Output 300W	1	12
	ACCESSORIES		
620314	GloBrite LED Light Glare Shield		
602136	Replacement Face Ring Kit for GloBrite Vinyl Liner Niche, Blue*		
602137	Replacement Face Ring Kit for GloBrite Vinyl Liner Niche, Gray*		
602138	Replacement Face Ring Kit for GloBrite Vinyl Liner Niche, White*		

\* Includes three (3) faceplates in specified color, three (3) gaskets, twelve (12) screws. Each kit can fully equip three (3) GloBrite lights with new faceplates, gaskets and screws.

All Pentair UL Listed underwater lights are certified for use in fresh water with up to 6,000 ppm salinity.

Certifications



CALIFORNIA PROPOSITION 65 WARNING

**WARNING:** Cancer and Reproductive Harm. AVERTISSEMENT: Peut Causer le Cancer

et des Dommages au Système Reproducteur. ADVERTENCIA: Cáncer y Daño Reproductivo. www.p65warnings.ca.gov.

PN 200174.

# **COLOR SYNC<sup>™</sup> CONTROLLER** FOR PENTAIR COLOR LED POOL LIGHTS

With the Color Sync Controller, your customers can quickly, easily and remotely turn their backyard oasis into a true extension of their home. Convenient control through the Pentair Home app puts them in the driver's seat to automate a vibrant pool experience that matches their mood.



#### **Ordering Information**

# ProductDescriptorCOLOR SYNC™CONTROLLER618031Color Sync Controller

#### **Featured Highlights**

- Universally compatible with all Pentair Color LED lights
- · Convenient control with the Pentair Home app
- Create dazzling light shows from seven existing themes and five colors
- Easily save favorite color settings for future use
- Set automated schedules through the app
- Weatherproof design for outdoor installation
- · GPS enabled to automatically turn on at twilight
- · Weekday vs. weekend options, with multiple runtime options

Compatible with MicroBrite<sup>®</sup> Color LED Lights, GloBrite<sup>®</sup> Color Changing LED Lights, IntelliBrite<sup>®</sup> 5G Color LED Pool Light, IntelliBrite Architectural Series Color Pool Light, ColorVision<sup>®</sup> LED Bubbler, and MagicStream<sup>®</sup> Laminars.

CALIFORNIA PROPOSITION 65 WARNING	
▲ WARNING: Cancer and Reproductive Harm. ▲ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproductiv ▲ ADVERTENCIA: Cáncer y Daño Reproductiv www.p65warnings.ca.gov.	eur.
min.poonarningo.oa.gov.	2011404

NOTE: Appearance of color and white LED light may vary between various models of lights. Appearance and perception of pool lighting may vary depending on a number of factors including, but not limited to, the particular model of light, the location/depth/angle of the light's installation, pool finish/ material, pool depth/shape/geometry, ambient light sources, subjective factors and more. For best results when using multiple lights, use all the same model and do not mix multiple models of lights within a single installation.

## **AMERLITE**° UNDERWATER INCANDESCENT LIGHTS WITH S/S FACE RINGS

#### **Featured Highlights**

- · A standard of reliability
- · Stainless steel face ring with uni-tension clamp
- · Prismatic tempered lens
- · Low water cutoff
- · Medium blue lenses available
- · Plastic snap-on face rings available for s/s lights

Amerlite light, a standard of reliability for underwater lights, features a stainless steel shell, 8-3/8 in. prismatic tempered glass lens, and stainless steel face ring with uni-tension clamp. Amerlite lights are UL listed to install in full-sized Pentair Pool Products, American, PacFab and Purex niches.

All Pentair UL Listed underwater lights are certified for use in fresh water with up to 6,000 ppm salinity.



Amerlite Incandescent Light

#### **Ordering Information**

Product	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)
	AMERLITE WIT	TH STAINLESS STE	EL FACE RING – 400 WA	TT, 120 VOLT	
78441100	120	400	15	1	6
78448100	120	400	50	1	10
78949100	120	400	100	1	15
78447100	120	400	150	1	20
78449100	120	400	200	1	25
	AMERLITE WIT	TH STAINLESS STEE	EL FACE RING – 500 WA	TT, 120 VOLT	
78451100	120	500	15	1	6
78458100	120	500	50	1	10
78456300	120	500	100	1	15
78457100	120	500	150	1	20
78459100	120	500	200	1	25

CALIFORNIA PROPOSITION 65 WARNING


▲ WARNING: Cancer and Reproductive Harm. ▲ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur. ▲ ADVERTENCIA: Cáncer y Daño Reproductivo. www.p65warnings.ca.gov.

# AMERLITE<sup>®</sup> (CONT'D)

### UNDERWATER INCANDESCENT LIGHTS WITH S/S FACE RINGS

Product	Voltage	Wattage	Cord Length (Ft.)	Carton Qty.	Carton Wt. (Lbs.)			
78958500	120	500	100	1	15			
	LENS, COVERS, AND FACE RINGS FOR AMERLITE							
79100100	Clear Lens, tempered			1	1			
79100200	Medium Blue Lens, tempered 1				1/2			
79110600	Stainless Steel Face F	1/2						

#### **Dimensions and Certifications**





Note: All 120 volt pool and spa lights must be connected to a branch circuit protected by a ground fault circuit interrupter (GFCI).

Note: All cord lengths over 50 feet on 12 volt lights create resistance that dramatically reduces the light output. This condition exists on all low voltage lights regardless of design or manufacturer.

Notice: Underwriters Laboratories has listed Pentair Water Pool and Spa, Inc. lights for use with Pentair Water Pool and Spa, Pentair Pool Products, American Products, Purex, or PacFab niches ONLY. To ensure proper grounding/bonding connections install only Pentair Water Pool and Spa lights in Pentair, Water Pool and Spa, Pentair Pool Products, American Products, Purex or PacFab niches only.

Note: **Amerlite** Incandescent Lights can be utilized to replace: **Sta-Rite:** SunSaver, SunGlow. **Purex-Triton:** Hatteras. **PacFab:** AmerQuartz, Spectrum Amerlite (SAM). To ensure proper grounding of replacement lights, please see the notice directly above.

CALIFORNIA PROPOSITION 65 WARNING

▲ WARNING: Cancer and Reproductive Harm. ▲ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur. ▲ ADVERTENCIA: Cáncer y Daño Reproductivo. www.p65warnings.ca.gov. restrut.

See page 480 for replacement parts.


# FOUNTAIN LIGHTS AND FIXTURES

FOR USE IN FOUNTAINS

#### Featured Highlights

#### **Fountain Fixtures**

- Sturdy cast bronze construction with attractive natural bronze finish
- Base and yoke-mount rotate 360° and pivot 180°
- · Integrated bonding lug for electrical safety
- Innovative strain-relief helps prevent damage to wiring connections
- Niche installation option available
- Large fixture for use with the IntelliBrite® Architectural Series Pool Light for water fountains and AmerLite Lights listed for fountain use
- Small fixture for use with the IntelliBrite Architectural Series Spa Light



Pentair Fountain Lights are commercial grade fixtures that offer color lighting capabilities, as well as traditional white lighting. When combined with Pentair's IntelliBrite Architectural Series color lights, these systems can bathe fountains in a constantly changing spectrum of color. Both large and small fixtures are designed for easy installation and for use with Pentair lights only.

#### **Ordering Information**

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
	FOUNTAIN FIXTURES		
602256	Fountain fixture for large lights with rock guard <sup>1</sup>	1	15
560001	Fountain fixture for small lights with rock guard 1	1	9
	FOUNTAIN ROCK GUARDS		
602257	Fountain rock guard for large niches <sup>2</sup>	1	7
560003	Fountain rock guard for small niches <sup>2</sup>	1	4

<sup>1</sup> Light is sold separately.

<sup>2</sup> Light and niche sold separately.

#### Certifications



CALIFORNIA PROPOSITION 65 WARNING

 WARNING: Cancer and Reproductive Harm.
AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur
ADVERTENCIA: Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

Note: Underwriters Laboratories has listed Pentair Water Pool and Spa, Inc. lights for use with Pentair Water Pool and Spa, Pentair Pool Products, American Products, Purex, or PacFab niches ONLY. To ensure proper grounding/bonding connections install only Pentair Water Pool and Spa lights in Pentair, Water Pool and Spa, Pentair Pool Products, American Products, Purex or PacFab niches only.

## PENTAIR LARGE STAINLESS STEEL NICHES

NICHES FOR SWIMMING POOLS AND SPAS



Pentair Large Niches

Large stainless steel niches are formed with brass fittings. All niches have internal and external grounding lugs for use with either metal or PVC conduit.

CALIFORNIA PROPOSITION 65 WARNING

 WARNING: Cancer and Reproductive Harm.
AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.
ADVERTENCIA: Cáncer y Daño Reproductivo. www.p65warnings.ca.gov.

#### **Featured Highlights**

- · Niches for all installations
- · Stainless steel housing
- Brass hub: 3/4 or 1 in.
- · Internal/external bonding lugs
- Vinyl niches with chrome/brass sealing rings
- · Sandwich gasket for vinyl
- · Powder coated sealing ring (optional)


#### **Ordering Information**

Product	Description	Carton Qty.	Carton Wt. (Lbs.)
	LARGE STAINLESS STEEL NICHES FOR CC	NCRETE INSTALLATION	
78210400	3/4 in. top hub	1	3
78210700	3/4 in. rear hub	1	3
78210500	1 in. top hub	1	3
78210600	1 in. rear hub	1	3
	VINYL AND FIBERGLASS INSTALLATION, STA	NDARD 10 HOLE PATTERN	
78232400	Fiberglass/liner, 3/4 in. rear hub	1	5
78232500	Fiberglass/liner, 1 in. rear hub	1	5
LARGE STAINLESS STEEL NICHE, CONCRETE SHIELD			
45361000	Niche Shield for construction	1	0.325
79211600Z	Replacement/Repair Niche plaster ring	1	5
LARGE STAINLESS STEEL NICHE - CANADIAN LIGHTS			
78210701	For Concrete Installation - 3/4 in. rear hub	1	0.25
78232401	For Vinyl and Fiberglass Installation - 3/4 in. rear hub		
	POWDER COATED SEALING RINGS, V	/INYL/FIBERGLASS	
79200255	Sealing ring, large niche (white)	1	0.01
SEALANT FOR NICHE BONDING LUGS			
60028300	Listed potting compound	1	0.0375

#### **Dimensions and Certifications**



Notice: Underwriters Laboratories has listed Pentair Water Pool and Spa, Inc. lights for use with Pentair Water Pool and Spa, Pentair Pool Products, American Products, Purex, or PacFab niches ONLY. To ensure proper grounding/bonding connections install only Pentair Water Pool and Spa lights in Pentair, Water Pool and Spa, Pentair Pool Products, American Products, Purex or PacFab niches only.



Rear Hub

Top Hub

12.50

8 02

# PENTAIR SMALL STAINLESS STEEL NICHES

NICHES FOR SWIMMING POOLS AND SPAS

#### **Featured Highlights**

- · Stainless steel housing
- Brass hub: 3/4 or 1 in.
- Internal/external bonding lugs
- · Vinyl niches with chrome/brass sealing rings
- · Niches for all installations
- · Sandwich gasket for vinyl



Pentair Small Niches

Small stainless steel niches are formed with brass fittings. All niches have internal and external bonding lugs and can be used with either metal or PVC conduit.

#### CALIFORNIA PROPOSITION 65 WARNING

A WARNING: Cancer and Reproductive Harm.

AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.


ADVERTENCIA: Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov.

#### **Ordering Information**

Product	Description	Carton Qty.	Carton Wt. (Lbs.)	
	SMALL STAINLESS STEEL NICHES FOR CONCRETE INSTALLATION			
78243200	Concrete pools or spas, 3/4 in. top hub	1	2	
78244200	Concrete pools or spas, 3/4 in. rear hub	1	2	
78243300	Concrete pools or spas, 1 in. top hub	1	2	
78244300	Concrete pools or spas, 1 in. rear hub	1	2	
	MANUFACTURED POOLS, SPAS & TUBS INSTALLATION			
78242200	Manufactured pools, spas & tubs, 3/4 in. rear hub	1	3	
78242300	Manufactured pools, spas & tubs, 1 in. rear hub	1	3	
SMALL STAINLESS STEEL NICHE SHIELD				
45361500	Niche shield for SpaBrite/AquaLight Niche	1	0.25	
VINYL/FIBERGLASS NICHE SEALING RING, POWDER-COATED				
79206055	Sealing ring, small niche	1	0.01	
	SEALANT FOR NICHE BONDING LUGS			
60028300	Listed potting compound	1	0.325	
	SMALL STAINLESS STEEL NICHES - CANADIAN LIGHTS			
78241202	For manufactured pools, spas & tubs, 3/4" top hub - Canadian Lights	12	2	
78242202	For manufactured pools, spas & tubs, 3/4" rear hub - Canadian Lights	12	2	
78244202	For Concrete Installation - 3/4 in. rear hub - Canadian Lights	12	3	

#### **Dimensions and Certifications**





Notice: Underwriters Laboratories has listed Pentair Water Pool and Spa, Inc. lights for use with Pentair Water Pool and Spa, Pentair Pool Products, American Products, Purex, or PacFab niches ONLY. To ensure proper grounding/bonding connections install only Pentair Water Pool and Spa lights in Pentair, Water Pool and Spa, Pentair Pool Products, American Products, Purex or PacFab niches only.

# **PLASTIC NICHES** PLASTIC NICHES FOR SWIMMING POOLS AND SPAS



**Gunite Plastic Niches –** These plastic concrete niches are molded of high strength, corrosion resistant PVC with a one inch PVC hub. Both 45O and 3/4 in. reducer bushings are included. Gunite models feature rebar tie-backs and a plaster ring for clean, simple installations and all are packed with a gunite/plaster shield.

**Ordering Information** 



**QuickNiche**<sup>™</sup> **Vinyl Liner Niche** – One look at the QuickNiche is all it takes to see that this is a product that really lives up to its name. It is an easy-to-install, super-sealing light niche for vinyl liner pools. It features a revolutionary lock-ring design that mounts and seals like a vinyl inlet fitting fast, secure, and totally leak proof.

#### **Featured Highlights**

**Gunite Plastic Niches:** 

#### QuickNiche:


- Innovative cord seal grommet (Accessory sold separately)
- · Large and small models
- Rebar tie-backs
- Plaster ring for secure sealing
- Internal/external bonding lugs
- High strength PVC construction
- Rear one inch PVC hub
- Includes 45° and 3/4 in. reducer bushings
- Includes gunite/plaster shield

- Revolutionary design mounts and seals like a vinyl inlet fitting
- No screws directly through the pool wall as with conventional vinyl niches
- Designed for quick and easy, one-person installation
- Rubber gasket overmolded on seal ring for reliable sealing
- Built-in current-collecting ring for maximum safety
- Zero wall panel exposure
- · Fits standard niche panel
- UL listed

Product	Description	Carton Qty.	Carton Wt. (Lbs.)	
PLASTIC NICHE - CONCRETE				
79206600	Small PVC niche, concrete <sup>1</sup>	1	2	
79206700	Large PVC niche, concrete <sup>1</sup>	1	3	
PLASTIC NICHE - VINYL				
620004	QuickNiche <sup>1, 2</sup>	1	1	
630043	QuickNiche blue seal ring	1	1	
630044	QuickNiche gray seal ring	1	1	
ACCESSORIES				
670044	Cord Seal Grommet Kit	3	1	
60028300	Listed potting compound	1	0.325	

#### **Dimensions and Certifications**






Innovative cord seal grommet accessory (p/n 670044)

Notice: Underwriters Laboratories has listed Pentair Water Pool and Spa, Inc. lights for use with Pentair Water Pool and Spa, Pentair Pool Products, American Products, Purex, or PacFab niches ONLY. To ensure proper grounding/bonding connections install only Pentair Water Pool and Spa lights in Pentair, Water Pool and Spa, Pentair Pool Products, American Products, Purex or PacFab niches only.

CALIFORNIA PROPOSITION 65 WARNING
WARNING: Cancer and Reproductive Harm.
AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteu
ADVERTENCIA: Cáncer y Daño Reproductivo
www.p65warnings.ca.gov.

- <sup>1</sup> Plastic niches are only listed for use with 12V lights in Canada.
- <sup>2</sup> Cord seal grommet not available for Quick Niche.



# LIGHT ACCESSORIES AND JUNCTION BOXES ADD-ON FEATURES AND ACCESSORIES FOR ALL PENTAIR LIGHTS

#### **Featured Highlights**

#### **Kwik-Change Lens Covers**

- Powder coated vinyl niche sealing ring
- · Snap-on plastic face rings available for s/s lights

#### **Junction Boxes**

- Available in 3 sizes: 1/2, 3/4 & 1 in.
- · Polycarbonate cover with brass base
- · Built-in strain relief
- · UL listed

Our optional light and niche features are designed to enhance our standard products and accommodate your specific project requirements.



Add-on Light Features and Accessories

#### **Ordering Information**

Product	Description	Carton Qty.	Carton Wt.(Lbs.)	
600140	AquaLumin 3 Lens Cover Kit	1	0.5	
	SNAP-ON PLASTIC FACE RINGS FOR AMERLITE			
79212111	Black	1	0.01	
79212165	Gray	1	0.01	
79213111	Black	24	0.01	
79213100	White	24	0.01	
	SNAP-ON PLASTIC FACE RINGS FOR SPABRIT	re/aqualight		
79212200	White	1	0.01	
79212211	Black	1	0.06	
79212265	Gray	1	0.06	
VINYL NICHE SEALING RING, WHITE POWDER-COATED				
79200255	Sealing ring, large niche	1	0.01	
79206055	Sealing ring, small niche	1	0.01	
JUNCTION BOX BRASS BASE W/ POLYCARBONATE COVER 1				
78310500	(3) - 1/2 in. ports	1	1	
78310600	(3) - 3/4 in. ports	1	1	
78310700	3/4 in. x 1 in. x 3/4 in. ports	1	1	

<sup>1</sup> UL Listed.

#### Certifications



CALIFORNIA PROPOSITION 65 WARNING

**WARNING:** Cancer and Reproductive Harm.

- AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur. ADVERTENCIA: Cáncer y Daño Reproductivo.
- - www.p65warnings.ca.gov.

# LIGHTING

# NOTES: