


# FILTER PARTS

Product Catalog 2025 - 2026

**Updated June 2025**

# CLEAN & CLEAR® PLUS FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS REINFORCED POLYPROPYLENE TANK



### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item                                  | Part No.  | Description                                                                                                    | US List | Can. List |
|---------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------|---------|-----------|
| <b>CLEAN &amp; CLEAR PLUS FILTERS</b> |           |                                                                                                                |         |           |
| 1                                     | 190058Z   | Gauge, pressure, 1/4 in.                                                                                       | 13.93   | 16.74     |
| 2                                     | 98209800  | High Flow manual air relief valve, HFMARV                                                                      | 54.90   | 65.97     |
| 4                                     | 178616Z   | Spring, compression <sup>2</sup>                                                                               | 10.34   | 12.42     |
| 5                                     | 170026    | Manifold, top assembly, 240 sq. ft. <sup>2</sup>                                                               | 126.88  | 152.46    |
| 5                                     | 170027    | Manifold, top assembly, 320, 420 & 520 sq. ft. <sup>2</sup>                                                    | 119.75  | 143.89    |
| 6                                     | R173572   | Cartridge element, 240 sq. ft., 4 req.                                                                         | 174.53  | 209.72    |
| 6                                     | R173573   | Cartridge element, 320 sq. ft., 4 req.                                                                         | 223.19  | 268.19    |
| 6                                     | R173576   | Cartridge, 420 sq. ft., 4 req. <sup>2</sup>                                                                    | 273.82  | 329.02    |
| 6                                     | R173578   | Cartridge, 520 sq. ft., 4 req. <sup>2</sup>                                                                    | 313.85  | 377.12    |
| 6                                     | 179133    | CNC Plus 240 Cartridge (4/pk)                                                                                  | 378.77  | 455.13    |
| 6                                     | 179134    | CNC Plus 320 Cartridge (4/pk)                                                                                  | 483.98  | 581.55    |
| 6                                     | 179135    | CNC Plus 420 Cartridge (4/pk)                                                                                  | 547.14  | 657.44    |
| 6                                     | 179136    | CNC Plus 520 Cartridge (4/pk)                                                                                  | 694.42  | 834.42    |
| 7                                     | 170030    | Air bleed tube assembly, 240 sq. ft.                                                                           | 72.57   | 87.20     |
| 7                                     | 170029    | Air bleed tube assembly, 320 sq. ft. <sup>2</sup>                                                              | 73.60   | 88.44     |
| 7                                     | 170028    | Air bleed tube assembly, 420 sq. ft. <sup>2</sup>                                                              | 74.83   | 89.92     |
| 7                                     | 178583    | Air bleed tube assembly, 520 sq. ft. <sup>2</sup>                                                              | 72.57   | 87.20     |
| 8                                     | 170035    | Manifold, bottom/pipe assembly, outlet <sup>3</sup>                                                            | 342.22  | 411.21    |
| 8                                     | 170040    | Manifold, bottom <sup>4</sup>                                                                                  | 95.34   | 114.56    |
| 10                                    | 39010200Z | O-ring, clamp                                                                                                  | 89.41   | 107.44    |
| 11                                    | 190003    | Clamp kit, tension control                                                                                     | 511.04  | 614.07    |
| 13                                    | 53108900Z | Spring/baffle nut assembly                                                                                     | 76.35   | 91.74     |
| 14                                    | 190039    | Baffle, bulkhead assembly <sup>2</sup>                                                                         | 156.16  | 187.64    |
| 15                                    | 86006900Z | O-ring, bulkhead, lower                                                                                        | 5.78    | 6.95      |
| 16                                    | 98960311  | Bulkhead union, set <sup>1</sup>                                                                               | 102.41  | 123.06    |
| 16                                    | 271096    | Bulkhead adapter kit, 2 in. O.D. white                                                                         | 97.68   | 117.37    |
| 16                                    | 270004    | Bulkhead adapter kit, 2 in. O.D. black                                                                         | 103.21  | 124.02    |
| 16                                    | 270100    | Bulkhead union kit, 2 in. I.D. Black                                                                           | 107.01  | 128.58    |
| 16                                    | 274426    | Bulkhead adapter kit, 2-1/2 in. x 2 in. I.D. White                                                             | CALL    | CALL      |
| 17                                    | 170035    | Pipe assembly, outlet/manifold, bottom (includes bulkhead 178575 and O-rings 86006900Z & 3544571) <sup>2</sup> | 342.22  | 411.21    |

| Item             | Part No.  | Description                                                               | US List | Can. List |
|------------------|-----------|---------------------------------------------------------------------------|---------|-----------|
| 18               | 86300500  | Drain cap gasket <sup>1</sup>                                             | 8.10    | 9.73      |
| 18               | 51005000Z | O-ring for drain plug <sup>2</sup>                                        | 4.33    | 5.20      |
| 18               | 191474Z   | O-ring for drain plug <sup>8</sup>                                        | 2.89    | 3.47      |
| 19               | 51516200  | Drain cap <sup>1</sup>                                                    | 39.37   | 47.31     |
| 19               | 86202000  | Plug, 1-1/2 in. drain with O-ring <sup>2</sup>                            | 30.50   | 36.65     |
| 19               | 190030Z   | Cap plug <sup>8</sup>                                                     | 47.78   | 57.41     |
| 20               |           |                                                                           |         |           |
| 20               | 170024    | Tank, lid assembly, 320 sq. ft.                                           | 465.45  | 559.28    |
| 20               | 178581    | Tank, lid assembly, 420 sq. ft. <sup>2</sup>                              | 531.94  | 639.18    |
| 20               |           |                                                                           |         |           |
| 20               | 178582    | Tank, lid assembly, 520 sq. ft. <sup>2</sup>                              | 626.66  | 752.99    |
| 21               | 178578    | Tank, bottom assembly <sup>2</sup>                                        | 865.56  | 1040.06   |
| 22               | 192320    | O-ring, bulkhead, upper <sup>2</sup>                                      | 6.50    | 7.81      |
| 22               | 86006900Z | O-ring, bulkhead, upper & lower <sup>1,7</sup>                            | 5.78    | 6.95      |
| 23               | 195339    | SS back-up ring <sup>5</sup>                                              | 116.24  | 139.67    |
| 24               | 194801    | Bulkhead, 2-3/8, 8 buttress thread <sup>2</sup>                           | CALL    | CALL      |
| 25               | 190106Z   | Air Screen                                                                | 42.81   | 51.44     |
| 26               | 195339    | RNG Backup Ring SS                                                        | 116.24  | 139.67    |
| <b>NOT SHOWN</b> |           |                                                                           |         |           |
|                  | 192019    | Drain plug wrench                                                         | 79.62   | 95.67     |
|                  | 178708    | Parts Bag - includes warranty card, instructions, and items 1, 2, and 16. | 155.99  | 187.44    |

<sup>1</sup> Used on filters manufactured before 11/98.

<sup>2</sup> Used on filters manufactured after 11/98.

<sup>3</sup> Used on filters manufactured between 11/98 thru 12/00.

<sup>4</sup> Used on filters manufactured after 12/00.

<sup>5</sup> Used on filters manufactured after 3/03.

<sup>6</sup> Used on filters manufactured between 3/03, thru 7/1/03.


<sup>7</sup> Used on filters manufactured after 10/04.

<sup>8</sup> Used on filters manufactured after 5/21/05.

# CLEAN & CLEAR® RP FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS REINFORCED POLYPROPYLENE TANK

| Item                                | Part No.   | Description                           | US List | Can. List |
|-------------------------------------|------------|---------------------------------------|---------|-----------|
| <b>CLEAN &amp; CLEAR RP FILTERS</b> |            |                                       |         |           |
| 1                                   | 98209800   | High flow manual air relief valve     | 54.90   | 65.97     |
| 2                                   | 190058Z    | Pressure gauge                        | 13.93   | 16.74     |
| 3                                   | 178548Z    | Lid, 100 sq. ft. filter               | 238.92  | 287.09    |
| 4                                   | 178546Z    | Lid, 150, 200 sq. ft. filter          | 238.92  | 287.09    |
| 5                                   | 59052900Z  | Locking ring assembly                 | 157.66  | 189.44    |
| 6                                   | 87300400Z  | Body O-ring                           | 15.51   | 18.64     |
| 7                                   | 59016200   | Air bleed sock kit                    | 21.06   | 25.31     |
| 8                                   | 59053700   | Center core, 100 sq. ft. filter       | 219.01  | 263.16    |
| 9                                   | 59053800   | Center core, 150, 200 sq. ft. filter  | 335.65  | 403.32    |
| 10                                  | R173215    | Cartridge element, 100 sq. ft. filter | 248.21  | 298.25    |
| 11                                  | R173216    | Cartridge element, 150 sq. ft. filter | 327.04  | 392.97    |
| 12                                  | R173217    | Cartridge element, 200 sq. ft. filter | 408.16  | 490.45    |
| 13                                  | 178731Z    | Tank bottom                           | 555.33  | 667.28    |
| 14                                  | 154712Z    | Drain cap assembly                    | 47.76   | 57.39     |
| 14                                  | 191474Z    | O-ring                                | 2.89    | 3.47      |
| 14                                  | 190030Z    | Drain Cap Plug                        | 47.78   | 57.41     |
| 15                                  | 178732Z    | Union nut "C" clip                    | 12.32   | 14.80     |
| 16                                  | U11-200PSZ | Union nut                             | 17.38   | 20.88     |
| 17                                  | 178746Z    | Union diamond seal                    | 6.66    | 8.00      |
| 18                                  | 178733Z    | Union, threaded half                  | 70.54   | 84.76     |
| 19                                  | 170096     | Air relief kit                        | 145.72  | 175.10    |
| <b>NOT SHOWN</b>                    |            |                                       |         |           |
|                                     | 154715Z    | Drain cap gasket                      | 5.78    | 6.95      |



### CALIFORNIA PROPOSITION 65 WARNING


⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer  
 et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PN 201704

# CLEAN & CLEAR® / PREDATOR™ FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS REINFORCED POLYPROPYLENE TANK



| Item                             | Part No.  | Description                                   | US List | Can. List |
|----------------------------------|-----------|-----------------------------------------------|---------|-----------|
| CLEAN & CLEAR / PREDATOR FILTERS |           |                                               |         |           |
| 1                                | 98209800  | High Flow manual air relief valve             | 54.90   | 65.97     |
| 2                                | 190058Z   | Gauge, pressure                               | 13.93   | 16.74     |
| 3                                | 178553    | Lid, 50, 100 sq. ft., almond                  | 256.25  | 307.91    |
| 3                                | 178561    | Lid, 75, 150, 200 sq. ft., almond             | 259.78  | 312.15    |
| 4                                | 59052900Z | Locking ring assembly                         | 157.66  | 189.44    |
| 5                                | 87300400Z | Body O-ring                                   | 15.51   | 18.64     |
| 6                                | 59016200  | Air bleed sock kit                            | 21.06   | 25.31     |
| 7                                | 59053500  | Center core 50 sq. ft.                        | 186.38  | 223.95    |
| 7                                | 59053600  | Center core 75 sq. ft.                        | 187.89  | 225.77    |
| 7                                | 59053700  | Center core 100 sq. ft.                       | 219.01  | 263.16    |
| 7                                | 59053800  | Center core 150, 200 sq. ft.                  | 335.65  | 403.32    |
| 8                                | R173213   | Cartridge element 50 sq. ft.                  | 156.19  | 187.68    |
| 8                                | R173214   | Cartridge element 75 sq. ft.                  | 202.36  | 243.16    |
| 8                                | R173215   | Cartridge element 100 sq. ft.                 | 248.21  | 298.25    |
| 8                                | R173216   | Cartridge element 150 sq. ft.                 | 327.04  | 392.97    |
| 8                                | R173217   | Cartridge element 200 sq. ft.                 | 408.16  | 490.45    |
| 9                                | 178562    | Bottom 50 sq. ft., almond                     | 452.32  | 543.51    |
| 9                                | 178554    | Bottom 75 sq. ft., almond                     | 449.55  | 540.18    |
| 9                                | 178563    | Bottom 100 sq. ft., almond                    | 576.44  | 692.65    |
| 9                                | 178560    | Bottom 150, 200 sq. ft., almond               | 562.78  | 676.24    |
| 10                               | 86202000  | Plug, 1-1/2 in. drain, w/ O-ring <sup>2</sup> | 30.50   | 36.65     |
| 11                               | 86300500  | Drain cap gasket <sup>1</sup>                 | 8.10    | 9.73      |
| 11                               | 51005000Z | O-ring, drain cap <sup>2</sup>                | 4.33    | 5.20      |
| 12                               | 39104500Z | Union nut "C" clip                            | 5.78    | 6.95      |
| 13                               | 98212200Z | Union nut                                     | 17.42   | 20.93     |
| 14                               | 071426Z   | O-ring, union                                 | 2.89    | 3.47      |
| 15                               | 79304600Z | Body, swivel                                  | 35.55   | 42.72     |

<sup>1</sup> Used on filters manufactured before 11/98.


<sup>2</sup> Used on filters manufactured after 11/98.

### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer  
 et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

# DYNAMIC® FILTER SERIES II & III RTL/RCF

## REPLACEMENT PARTS



### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING:** Cancer and Reproductive Harm.  
**⚠ AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**⚠ ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item                                                                                       | Part No.  | Qty.               | Description                               | US List | Can. List |
|--------------------------------------------------------------------------------------------|-----------|--------------------|-------------------------------------------|---------|-----------|
| <b>TOP LOAD IN LINE CARTRIDGE FILTER<br/>MODEL RTL/RCF 1-1/2 IN. &amp; 2 IN. HIGH FLOW</b> |           |                    |                                           |         |           |
| 1                                                                                          | R172214   | 1                  | Lock ring                                 | 28.07   | 33.73     |
| 2                                                                                          | R172224XZ | 1                  | Air vent valve                            | 9.13    | 10.97     |
| 3                                                                                          | R172221Z  | 1                  | O-ring for air vent valve                 | 2.31    | 2.78      |
| 4                                                                                          | R172222Z  | 2                  | Gasket, cartridge                         | 4.44    | 5.34      |
| 5                                                                                          | R172223Z  | 1                  | O-ring lid to housing                     | 5.65    | 6.79      |
| 6A                                                                                         | R172327   | 1                  | 25 sq. ft. cartridge, 3 oz. <sup>1</sup>  | 53.06   | 63.76     |
| 6C                                                                                         | R173435   | 1                  | 75 sq. ft. cartridge                      | 139.39  | 167.49    |
| 6D                                                                                         | R172633   | 1                  | 100 sq. ft. cartridge                     | 161.75  | 194.36    |
| 7                                                                                          | R172225X  | 1                  | 1-1/2 in. Plug to disable by-pass         | 2.39    | 2.87      |
| 7A                                                                                         | R172679   | 1                  | 2 in. Plug to disable by-pass             | 9.42    | 11.32     |
| 8                                                                                          | R172226X  | 1                  | 1-1/2 in. By-pass assembly                | 7.26    | 8.72      |
| 8A                                                                                         | R172684   | 1                  | 2 in. By-pass assembly                    | 22.97   | 27.60     |
| 8B                                                                                         | R172226XF | 1                  | 1-1/2 in. By-pass assembly, low flow      | 8.59    | 10.32     |
| 9                                                                                          | R172392   | 2                  | 1/4 in. Access plug, earlier models       | 9.16    | 11.01     |
| 9A                                                                                         | R172393   | 2                  | Access plug O-ring, earlier models        | 9.16    | 11.01     |
| 10                                                                                         | R172370   | 1                  | Bottom locking flange                     | 20.37   | 24.48     |
| 11                                                                                         | R172036Z  | Opt.               | Silicone lubricant                        | 15.53   | 18.66     |
| 12                                                                                         | R172374   | 1                  | Lock spring                               | 9.13    | 10.97     |
| 13                                                                                         | R172375   | 1                  | Lock screw                                | 2.33    | 2.80      |
| 15                                                                                         | R172385   | 1                  | Lid assembly, complete                    | 40.34   | 48.47     |
| 16                                                                                         | R172540   | 1                  | Chlorine/bromine dispenser, complete, RCF | 116.39  | 139.85    |
| <b>NOT SHOWN</b>                                                                           |           |                    |                                           |         |           |
| R172452                                                                                    | Opt.      | Free standing base | 19.58                                     | 23.53   |           |


<sup>1</sup> All three cartridges are interchangeable.

<sup>2</sup> Only one applies to your filter, check model number when ordering.

Note: Specify color of cover and niche desired by adding letters after part no., as follows: SS (sterling silver), WH (white), BLK (black).

# DYNAMIC® FILTER SERIES IV - DFM, DFML

## REPLACEMENT PARTS



| Item                                      | Part No. | Qty. | Description                         | US List | Can. List |
|-------------------------------------------|----------|------|-------------------------------------|---------|-----------|
| DFML 25C, 25, 35, 50 LILY PAD SKIM FILTER |          |      |                                     |         |           |
| 1                                         |          |      |                                     |         |           |
| 2                                         | R172661  | 1    | Lily basket w/ restrictor assembly  | 23.63   | 28.39     |
| 3                                         |          |      |                                     |         |           |
| 4A                                        | R172327  | 1    | Cartridge, 25 sq. ft., 13-1/4       | 53.06   | 63.76     |
| 4B                                        |          |      |                                     |         |           |
| 4C                                        |          |      |                                     |         |           |
| 5                                         |          |      |                                     |         |           |
| 7                                         |          |      |                                     |         |           |
| 8                                         | R172370  | 1    | Bottom locking flange               | 20.37   | 24.48     |
| DFM 50 LOW PROFILE, NO WEIR               |          |      |                                     |         |           |
| 9                                         |          |      |                                     |         |           |
| 10                                        | R22113   | 1    | Basket assembly, short              | 9.84    | 11.82     |
| 10A                                       | R172686  | Opt  | Basket short w/ restrictor assembly | 24.43   | 29.36     |

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.

⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.


⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.

[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PH320714

# DYNAMIC® FILTER SERIES CHLORINE/BROMINE DISPENSERS

## REPLACEMENT PARTS



| Item                                                             | Part No.  | Qty. | Description                      | US List | Can. List |
|------------------------------------------------------------------|-----------|------|----------------------------------|---------|-----------|
| <b>CHLORINE/BROMINE DISPENSER (R172540/R172540F FOR RCF-RTL)</b> |           |      |                                  |         |           |
| 1                                                                | R172399   | 1    | Control valve stem               | CALL    | CALL      |
| 2                                                                |           |      |                                  |         |           |
| 3                                                                | R18854    | 1    | Stop pin                         | CALL    | CALL      |
| 4                                                                | R172224XZ | 1    | Air vent valve                   | 9.13    | 10.97     |
| 5                                                                | R172221Z  | 1    | O-ring for air vent valve        | 2.31    | 2.78      |
| 6                                                                | R172400   | 1    | Inlet screen <sup>1</sup>        | CALL    | CALL      |
| 7                                                                | R172223Z  | 1    | O-ring lid to housing            | 5.65    | 6.79      |
| 8                                                                | R172222Z  | 1    | Gasket, cartridge                | 4.44    | 5.34      |
| 9                                                                |           |      |                                  |         |           |
| 10                                                               | R172451   | 1    | O-ring, check valve              | 3.36    | 4.04      |
| 11                                                               | R172401   | 1    | Screen, check valve <sup>1</sup> | CALL    | CALL      |
| 12                                                               | R172406   | 1    | Check valve assembly             | CALL    | CALL      |
| 13                                                               | R172036Z  | Opt. | Silicone lubricant               | 15.53   | 18.66     |
| <b>CHLORINE/BROMINE DISPENSER (R172560 FOR DSF-DFM)</b>          |           |      |                                  |         |           |
| 1                                                                | R172399   | 1    | Control valve stem               | CALL    | CALL      |
| 2                                                                |           |      |                                  |         |           |
| 3                                                                | R18854    | 1    | Stop pin                         | CALL    | CALL      |
| 6                                                                | R172400   | 1    | Inlet screen <sup>1</sup>        | CALL    | CALL      |
| 9                                                                |           |      |                                  |         |           |
| 10                                                               | R172451   | 1    | O-ring, check valve              | 3.36    | 4.04      |
| 11                                                               | R172401   | 1    | Screen, check valve <sup>1</sup> | CALL    | CALL      |
| 12                                                               | R172406   | 1    | Check valve assembly             | CALL    | CALL      |
| 13                                                               | R172036Z  | Opt. | Silicone lubricant               | 15.53   | 18.66     |
| <b>CHLORINE/BROMINE DISPENSER WITH BASKET (R172662 FOR DFML)</b> |           |      |                                  |         |           |
| 1                                                                | R172399   | 1    | Control valve stem               | CALL    | CALL      |
| 2                                                                |           |      |                                  |         |           |
| 3                                                                | R18854    | 1    | Stop pin                         | CALL    | CALL      |
| 6                                                                | R172400   | 1    | Inlet screen <sup>1</sup>        | CALL    | CALL      |
| 9                                                                |           |      |                                  |         |           |
| 10                                                               | R172451   | 1    | O-ring, check valve              | 3.36    | 4.04      |
| 11                                                               | R172401   | 1    | Screen, check valve <sup>1</sup> | CALL    | CALL      |
| 12                                                               | R172406   | 1    | Check valve assembly             | CALL    | CALL      |
| 13                                                               | R172036Z  | Opt. | Silicone lubricant               | 15.53   | 18.66     |

<sup>1</sup> Item No. 6 and No. 11 screens are snapped into place and can easily be removed for cleaning or replacement.

CALIFORNIA PROPOSITION 65 WARNING  
 ⚠️ **WARNING:** Cancer and Reproductive Harm.  
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov) P65 2017.14

# SYSTEM:3® MODULAR MEDIA FILTERS

## SM SERIES REPLACEMENT PARTS




### MODELS

S7M120

S7M400

S8M150

S8M500



#### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING:** Cancer and Reproductive Harm.  
**⚠ AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**⚠ ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

<sup>1</sup> Model S7M120 requires 7 clamps and clamp bolts. Model S8M 150 requires 8 clamps and clamp bolts.

<sup>2</sup> Includes all decals and labels.

| Item                           | Part No.    | Description                             | US List | Can. List |
|--------------------------------|-------------|-----------------------------------------|---------|-----------|
| SYSTEM:3 MODULAR MEDIA FILTERS |             |                                         |         |           |
| 1                              | 33600-0023T | 2 in. Gauge                             | 72.10   | 86.64     |
| 2                              | 154689Z     | Air Release Valve                       | 45.64   | 54.84     |
| 3                              | 35202-0959  | Nipple                                  | 21.10   | 25.35     |
| 4                              | 24900-0504Z | Adapter Bushing                         | 28.09   | 33.75     |
| 5                              | 35505-1423Z | O-Ring                                  | 3.22    | 3.87      |
| 6                              | 25022-0201S | Large Cartridge (S7M120, 21 in. Filter) | 858.87  | 1032.02   |
| 6                              | 25022-0224S | Large Cartridge (S7M400, 21 in. Filter) | 1175.47 | 1412.44   |
| 6                              | 25022-0203S | Large Cartridge (S8M150, 25 in. Filter) | 1164.44 | 1399.19   |
| 6                              | 25022-0225S | Large Cartridge (S8M500, 25 in. Filter) | 1202.97 | 1445.49   |
| 7                              | 25021-0200S | Small Cartridge (S7M120)                | 432.21  | 519.34    |
| 7                              | 25021-0223S | Small Cartridge (S7M400)                | 479.02  | 575.59    |
| 7                              | 25021-0202S | Small Cartridge (S8M150)                | 715.71  | 860.00    |
| 7                              | 25021-0224S | Small Cartridge (S8M500)                | 864.36  | 1038.61   |
| 8                              | WC8-126Z    | Air Bleed Filter                        | 23.10   | 27.76     |
| 9                              | 25021-0003Z | Air Bleed Tube                          | 14.71   | 17.68     |
| 10                             | 25021-0101Z | Baffle and Bulkhead Fitting             | 107.18  | 128.79    |
| 11                             | 35505-1428Z | O-Ring                                  | 9.33    | 11.21     |
| 12                             | 35505-1429Z | O-Ring                                  | 4.33    | 5.20      |
| 13                             | 25021-0100Z | Elbow and Bulkhead Assembly             | 159.65  | 191.84    |
| 14                             | 35505-1425Z | O-Ring                                  | 24.90   | 29.92     |
| 15                             | 35505-1424Z | O-Ring                                  | 14.92   | 17.93     |
| 16                             | 24900-0509Z | Adapter Fitting                         | 43.18   | 51.89     |
| 17                             | 27001-0022Z | 1-1/2 in. NPT Plug                      | 4.45    | 5.35      |
| 18                             | 24900-0503Z | Drain Plug                              | 42.97   | 51.63     |

| Item      | Part No.    | Description                                      | US List | Can. List |
|-----------|-------------|--------------------------------------------------|---------|-----------|
| 19        | 24752-0050Z | Bulkhead Retaining Nut                           | 37.12   | 44.60     |
| 20        | 24850-0200Z | Clamp Assembly <sup>1</sup>                      | 196.50  | 236.11    |
| 21        | 24850-0010Z | Clamp Bolt <sup>1</sup>                          | 47.59   | 57.18     |
| 22        | 24850-0102S | Lower Tank Half, 21 in. Filter                   | 1680.92 | 2019.79   |
| 22        | 24851-0103S | Lower Tank Half, 25 in. Filter                   | 1899.20 | 2282.08   |
| 23        | 24850-0008Z | Cord Ring, 21 in. Filter                         | 96.60   | 116.07    |
| 23        | 24850-0009  | Cord Ring, 25 in. Filter                         | 110.24  | 132.46    |
| 24        | 24851-9000  | Upper Tank Half Kit, 21 in. Filter <sup>2</sup>  | 1505.28 | 1808.74   |
| 24        | 24851-9001  | Upper Tank Half Kit, 25 in. Filter <sup>2</sup>  | 1851.53 | 2224.80   |
| 25        | 24850-0105  | Valve & Gauge Assembly (Includes #1, 2, 3, 4, 5) | 150.44  | 180.77    |
| 26        | 170145      | S7M120 Inner/Outer Cartridge Pack                | 859.28  | 1032.51   |
| 26        | 170146      | S7M400 Inner/Outer Cartridge Pack                | 1188.62 | 1428.25   |
| 26        | 170147      | S8M150 Inner/Outer Cartridge Pack                | 1396.29 | 1677.78   |
| 26        | 170148      | S8M500 Inner/Outer Cartridge Pack                | 1836.98 | 2207.32   |
| NOT SHOWN |             |                                                  |         |           |

|             |                                   |       |       |
|-------------|-----------------------------------|-------|-------|
| 24850-0016Z | Clamp Retaining Ring <sup>1</sup> | 10.84 | 13.03 |
| PKG 188Z    | 2 in. Slip 1/2 Union Kit          | 48.66 | 58.47 |
| U9-362Z     | O-Ring                            | 4.33  | 5.20  |



# SYSTEM:2™ MODULAR MEDIA FILTERS

## PLM SERIES REPLACEMENT PARTS



### MODELS

PLM100


PLM125

PLM150

PLM175

PLM200

PLM300



#### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer  
 et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item                                  | Part No.    | Description                                                                        | US List | Can. List |
|---------------------------------------|-------------|------------------------------------------------------------------------------------|---------|-----------|
| <b>SYSTEM:2 MODULAR MEDIA FILTERS</b> |             |                                                                                    |         |           |
| 1                                     | 27001-0054S | Posi-Lok™ ring                                                                     | 317.91  | 382.00    |
| 2A                                    | 25010-0200  | Air release valve assy. w/ O-ring P/N U9-359Z                                      | 54.56   | 65.56     |
| 2B                                    | 24206-0103S | Air vent stem w/ O-ring P/N 35505-7439                                             | 16.22   | 19.49     |
| 3A                                    | 27001-0020S | Tank shell upper half <sup>1,5</sup> Models PLM100, PLM125, PLM150, PLM175, PLM200 | 476.11  | 572.09    |
| 3B                                    | 27001-0030S | Tank shell upper half <sup>1,5</sup> Model PLM300                                  | 748.91  | 899.89    |
| 4                                     | 27001-0061S | Cord-ring                                                                          | 82.95   | 99.67     |
| 4                                     | 27001-0060S | Cord-ring (Pre 3/97) Models PLM100, PLM150                                         | 82.21   | 98.78     |
| 5                                     | 27001-0009S | Tank shell lower half <sup>4,5</sup>                                               | 808.78  | 971.83    |
| 6                                     | 27001-0051Z | Safety latch for ring                                                              | 22.37   | 26.88     |
| 7A                                    | 27001-0022Z | 1-1/2 in. NPT plug                                                                 | 4.45    | 5.35      |
| 7B                                    | 24900-0510  | Adapter fitting                                                                    | 43.18   | 51.89     |
| 8                                     | 35505-1424Z | O-ring                                                                             | 14.92   | 17.93     |
| 9                                     | U78-820PZ   | 2 in. x 1-1/2 in. Pipe reducer <sup>2</sup>                                        | 20.49   | 24.62     |
| 10                                    | 15060-0000T | Pressure gauge <sup>3</sup>                                                        | 72.02   | 86.54     |

| Item             | Part No.    | Description                     | US List | Can. List |
|------------------|-------------|---------------------------------|---------|-----------|
| 11               | 24800-0121  | Air bleed assembly              | 27.60   | 33.16     |
| 12               | 27002-0100S | Filter module - Model PLM100    | 452.72  | 543.99    |
| 12               | 27002-0125S | Filter module - Model PLM125    | 545.48  | 655.45    |
| 12               | 27002-0150S | Filter module - Model PLM150    | 672.01  | 807.49    |
| 12               | 27002-0175S | Filter module - Model PLM175    | 756.35  | 908.83    |
| 12               | 27002-0200S | Filter module - Model PLM200    | 843.53  | 1013.59   |
| 12               | 27002-0300S | Filter module - Model PLM300    | 1085.33 | 1304.13   |
| 13               | 27001-0130S | Spring check valve <sup>2</sup> | 34.49   | 41.44     |
| <b>NOT SHOWN</b> |             |                                 |         |           |
|                  | 33455-1050  | Spring check valve gasket       | 6.19    | 7.44      |

<sup>1</sup> Includes all decals and labels.


<sup>2</sup> Optional Equipment.

<sup>3</sup> Shipped in accessory package.

<sup>4</sup> Includes 24900-0510 adapter fitting, 27001-0051Z safety latch, & 27001-0054 PosiLok™ ring.

<sup>5</sup> Filters manufactured before 2005 should also purchase a top and bottom.

# **POSI-CLEAR™ RP FILTERS** PXC SERIES REPLACEMENT PARTS




CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov) P192017A

| Item                         | Part No.   | Description                           | US List | Can. List |
|------------------------------|------------|---------------------------------------|---------|-----------|
| <b>POSI-CLEAR RP FILTERS</b> |            |                                       |         |           |
| 1                            | 98209800   | High flow manual air relief valve     | 54.90   | 65.97     |
| 2                            | 190058Z    | Pressure gauge                        | 13.93   | 16.74     |
| 3                            | 59053001Z  | Lid, 100 sq. ft. filter               | 256.25  | 307.91    |
| 4                            | 178745Z    | Lid, 150, 200 sq. ft. filter          | 238.92  | 287.09    |
| 5                            | 59052900Z  | Locking ring assembly                 | 157.66  | 189.44    |
| 6                            | 87300400Z  | Body O-ring                           | 15.51   | 18.64     |
| 7                            | 59016200   | Air bleed sock kit                    | 21.06   | 25.31     |
| 8                            | 59053700   | Center core, 100 sq. ft. filter       | 219.01  | 263.16    |
| 9                            | 59053800   | Center core, 150, 200 sq. ft. filter  | 335.65  | 403.32    |
| 10                           | R173215    | Cartridge element, 100 sq. ft. filter | 248.21  | 298.25    |
| 11                           | R173216    | Cartridge element, 150 sq. ft. filter | 327.04  | 392.97    |
| 12                           | R173217    | Cartridge element, 200 sq. ft. filter | 408.16  | 490.45    |
| 13                           | 178743Z    | Tank bottom                           | 555.33  | 667.28    |
| 14                           | 154712Z    | Drain Plug Kit                        | CALL    | CALL      |
| 15                           | 178732Z    | Union nut "C" clip                    | 12.32   | 14.80     |
| 16                           | U11-200PSZ | Union nut                             | 17.38   | 20.88     |
| 17                           | 178746Z    | Union diamond seal                    | 6.66    | 8.00      |
| 18                           | 178733Z    | Union, threaded half                  | 70.54   | 84.76     |

# FULLFLOXF®

## HIGH-EFFICIENCY FILTERS REPLACEMENT PARTS



| Item               | Part No.  | Description                          | US List | Can. List |
|--------------------|-----------|--------------------------------------|---------|-----------|
| FULLFLOXF Q-SERIES |           |                                      |         |           |
| 1*                 |           |                                      |         |           |
| 2                  | 178750z   | Filter Cartridge (QTY 1, 4 Required) | CALL    | CALL      |
| 3                  | 190003    | Clamp Ring Assembly                  | 511.04  | 614.07    |
| 4                  | 39010200z | O-ring, Tank                         | 89.41   | 107.44    |
| 5                  | 178829    | Bulkhead Kit (Qty 2)                 | 42.03   | 50.50     |
| 6                  |           |                                      |         |           |
| 7                  | 98209800  | Manual Air Relief Valve              | 54.90   | 65.97     |
| 8                  | 190058z   | Pressure Gauge                       | 13.93   | 16.74     |
| 9                  | 178816    | Drain Plug Kit                       | CALL    | CALL      |
| 10                 | 178697z   | Support Pipe (Qty 4)                 | 27.43   | 32.96     |
| 11                 | 178838    | Top Manifold Kit                     | 214.37  | 257.59    |
| 12                 | 410016z   | Diamond Seal Kit                     | 18.93   | 22.75     |
| NOT SHOWN          |           |                                      |         |           |
| —                  | 178840    | Anchor Clamp Kit                     | 62.84   | 75.51     |
| —                  | 188616    | Q120 DE replacements grid            | CALL    | CALL      |

(\*) - Tank Bottom (item #1) includes items 5 and 9.

CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.

⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.

⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.


[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov) P65-2017-1A

# FULLFLOXF®

## HIGH-EFFICIENCY FILTERS REPLACEMENT PARTS

| Item                      | Part No.  | Description                          | US List | Can. List |
|---------------------------|-----------|--------------------------------------|---------|-----------|
| <b>FULLFLOXF C-SERIES</b> |           |                                      |         |           |
| 1                         | 190058z   | Pressure Gauge                       | 13.93   | 16.74     |
| 2                         | 98209800  | Manual Air Relief Valve              | 54.90   | 65.97     |
| 3                         | 178810    | Tank Lid                             | CALL    | CALL      |
| 4                         | 190106z   | Air Bleed Screen Cap                 | 42.81   | 51.44     |
| 5                         | 178838    | Top Manifold Kit                     | 214.37  | 257.59    |
| 6                         | 192323Z   | O-ring, Manifold                     | 4.33    | 5.20      |
| 7                         | 170102    | Filter Cartridge (QTY 1, 4 required) | CALL    | CALL      |
| 8                         | 190003    | Clamp Ring Assembly                  | 511.04  | 614.07    |
| 9                         | 53108900Z | Spring/Barrell Nut Kit               | CALL    | CALL      |
| 10                        |           |                                      |         |           |
| 11                        |           |                                      |         |           |
| 12                        |           |                                      |         |           |
| 13                        | R170055   | O-ring, Bulkhead (Qty 2)             | 9.16    | 11.01     |
| 14                        | 178829    | Bulkhead Kit (Qty 2)                 | 42.03   | 50.50     |
| 15                        | 410016z   | Diamond Seal Kit                     | 18.93   | 22.75     |
| 16                        | 39010200z | O-ring, Tank                         | 89.41   | 107.44    |
| 17                        | 195339    | Backup Ring                          | 116.24  | 139.67    |
| 18                        | 178691z   | Pipe Outlet                          | 92.19   | 110.78    |
| 19                        | 198249z   | Pipe Inlet                           | 48.99   | 58.87     |
| 20*                       | 178830    | Tank Bottom                          | 2654.47 | 3189.61   |
| 21                        | 410020z   | Union Kit                            | CALL    | CALL      |
| 22                        | 178697z   | Support Pipe (Qty 4)                 | 27.43   | 32.96     |
| 23                        | 273062Z   | O-ring, Drain (Qty 2)                | 4.83    | 5.80      |
| 24                        | 178816    | Drain Plug (Qty 2)                   | CALL    | CALL      |
| <b>NOT SHOWN</b>          |           |                                      |         |           |
| —                         | 178840    | Anchor Clamp Kit                     | 62.84   | 75.51     |
| —                         | 160448    | C620 Cartridge Replacements          | CALL    | CALL      |

(\*) - Tank Bottom (item #20) includes items 14, 17, 18, 19 and 24




### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PR-201714A

# FULLFLOXF® (CONT'D)

## HIGH-EFFICIENCY FILTERS REPLACEMENT PARTS



188624 (FV60) AND 188625 (FV72)

| Item                | Part No.  | Description                       | US List | Can. List |
|---------------------|-----------|-----------------------------------|---------|-----------|
| FULLFLOXF FV-SERIES |           |                                   |         |           |
| 1                   | 178815    | Tank Bottom Assembly              | CALL    | CALL      |
| 2                   | 178810    | Tank Lid                          | CALL    | CALL      |
| 3                   | 190003    | Clamp Ring Assembly               | 511.04  | 614.07    |
| 4                   | 178817    | Valve Handle                      | CALL    | CALL      |
| 5                   | 39010200z | O-ring, Tank                      | 89.41   | 107.44    |
| 6                   | 178827    | Bottom Manifold with Vent Tube    | CALL    | CALL      |
| 7                   | 178814    | Center Rod and Washer 4072        | CALL    | CALL      |
| 8                   | 071019Z   | Holding Wheel                     | 55.53   | 66.72     |
| 9                   | 178818    | Air Bleed Tube                    | CALL    | CALL      |
| 10                  | 074925    | Grid Element 2060 (QTY 1, 8 Req.) | CALL    | CALL      |
| 10                  | 074926    | Grid Element 2072 (Qty 1, 8 Req.) | CALL    | CALL      |
| 11                  | 178816    | Drain Plug and O-ring             | CALL    | CALL      |
| 12                  | 178820    | Ring Compression Kit              | CALL    | CALL      |
| 13                  | 98209800  | Manual Air Relief Valve           | 54.90   | 65.97     |
| 14                  | 178828    | Backwash Valve Assembly           | CALL    | CALL      |
| 15                  | 190058z   | Pressure Gauge                    | 13.93   | 16.74     |
| 16                  | 178821    | Tank Bottom                       | CALL    | CALL      |
| NOT SHOWN           |           |                                   |         |           |
| —                   | 178840    | Anchor Clamp Kit                  | 62.84   | 75.51     |
| —                   | 073370    | Rotor and Seal                    | 233.56  | 280.65    |


### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING:** Cancer and Reproductive Harm.  
**⚠ AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**⚠ ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

# FULLFLOXF® (CONT'D)

## HIGH-EFFICIENCY FILTERS REPLACEMENT PARTS


| Item               | Part No.  | Description                  | US List | Can. List |
|--------------------|-----------|------------------------------|---------|-----------|
| FULLFLOXF F-SERIES |           |                              |         |           |
| 1                  | 176203    | Tank Bottom                  | 2642.22 | 3174.89   |
| 2                  | 178810    | Tank Lid                     | CALL    | CALL      |
| 3                  | 178829    | Bulkhead Kit (Qty 2)         | 42.03   | 50.50     |
| 4                  | 59003600  | Filter Grid Assembly (Qty 7) | 94.95   | 114.09    |
| 5                  | 59003500  | Filter Grid                  | 92.24   | 110.84    |
| 6                  | 98209800  | Manual Air Relief Valve      | 54.90   | 65.97     |
| 7                  | 190058z   | Pressure Gauge               | 13.93   | 16.74     |
| 8                  | 178816    | Drain Plug (Qty 2)           | CALL    | CALL      |
| 9                  | 178697z   | Support Pipe (Qty 4)         | 27.43   | 32.96     |
| 10                 | 190003    | Clamp Ring Assembly          | 511.04  | 614.07    |
| 11                 | 410016z   | Diamond Seal Kit             | 18.93   | 22.75     |
| 12                 |           |                              |         |           |
| 13                 | 178903    | Element Grid Assembly        | 1165.75 | 1400.77   |
| 14                 | 173703    | Tie Rod                      | 87.84   | 105.55    |
| 15                 | 198245z   | Grid Locator                 | 150.43  | 180.76    |
| 16                 | 39010200z | O-ring, Tank                 | 89.41   | 107.44    |
| NOT SHOWN          |           |                              |         |           |
| —                  | 178840    | Anchor Clamp Kit             | 62.84   | 75.51     |



188621(F72 MODEL)

# FNS® PLUS FILTERS

## REPLACEMENT PARTS FOR VERTICAL GRID FILTERS



| Item             | Part No. | Description                                                                                            | US List | Can. List |
|------------------|----------|--------------------------------------------------------------------------------------------------------|---------|-----------|
| FNS PLUS FILTERS |          |                                                                                                        |         |           |
| 1                | 190058Z  | Gauge, pressure                                                                                        | 13.93   | 16.74     |
| 2                | 98209800 | High Flow manual air relief valve, HFMAV                                                               | 54.90   | 65.97     |
| 4                | 071404Z  | Wing nut                                                                                               | 22.71   | 27.29     |
| 5                | 59000800 | Tie rod, 24 sq. ft. filter                                                                             | 62.99   | 75.69     |
| 5                | 59001500 | Tie rod, 36 sq. ft. filter                                                                             | 67.38   | 80.96     |
| 5                | 59002100 | Tie rod, 48 sq. ft. filter                                                                             | CALL    | CALL      |
| 5                | 59002700 | Tie rod, 60 sq. ft. filter                                                                             | 73.60   | 88.44     |
| 6                | 59023700 | Manifold, top w/air bleed                                                                              | 237.27  | 285.10    |
| 7                | 190092   | Internal air bleed assembly<br>Pre 10/09 - porous white material<br>After 10/09 - stainless steel mesh | 43.03   | 51.70     |
| 8                | 98725800 | Template, filter                                                                                       | 12.31   | 14.79     |
| 9                | 59001100 | Grid, lg. 12 in., 24 sq. ft. filter, 7 req.                                                            | CALL    | CALL      |
| 9                | 59001800 | Grid, lg. 18 in., 36 sq. ft. filter, 7 req.                                                            | CALL    | CALL      |
| 9                | 59002400 | Grid, lg. 24 in., 48 sq. ft. filter, 7 req.                                                            | 80.13   | 96.28     |
| 9                | 59003000 | Grid, lg. 30 in., 60 sq. ft. filter, 7 req.                                                            | 74.11   | 89.05     |
| 10               | 59001000 | Grid, sm. 12 in., 24 sq. ft. filter, 1 req.                                                            | 41.00   | 49.27     |
| 10               | 59002300 | Grid, sm. 24 in., 48 sq. ft. filter, 1 req.                                                            | CALL    | CALL      |
| 10               | 59002900 | Grid, sm. 30 in., 60 sq. ft. filter, 1 req.                                                            | CALL    | CALL      |
| 10               | 59001700 | Grid, sm. 18 in., 36 sq. ft. filter, 1 req.                                                            | 50.34   | 60.49     |
| 11               | 59023800 | Assembly, element grid, complete, 24 sq. ft. filter                                                    | 703.07  | 844.81    |
| 11               | 59023500 | Assembly, element grid, complete, 36 sq. ft. filter                                                    | 626.76  | 753.11    |

### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item             | Part No.  | Description                                                             | US List | Can. List |
|------------------|-----------|-------------------------------------------------------------------------|---------|-----------|
| FNS PLUS FILTERS |           |                                                                         |         |           |
| 11               | 59023400  | Assembly, element grid, complete, - 48 sq. ft. filter                   | 710.24  | 853.42    |
| 11               | 59023300  | Assembly, element grid, complete, - 60 sq. ft. filter                   | 752.18  | 903.82    |
| 12               | 98211400Z | Nut, 1/4-20, plated brass                                               | CALL    | CALL      |
| 13               | 59000500  | Spider, grid locator                                                    | 126.88  | 152.46    |
| 14               | 58001000  | Nut, lock, hex, nylon                                                   | 3.53    | 4.24      |
| 15               | 39010200Z | O-ring, tank clamp, .470 O.D.                                           | 89.41   | 107.44    |
| 16               | 190003    | Clamp, kit                                                              | 511.04  | 614.07    |
| 17               |           |                                                                         |         |           |
| 18               | 53108900Z | Spring/barrel nut assembly                                              | 76.35   | 91.74     |
| 19               |           |                                                                         |         |           |
| 19               | 190035    | Assembly, standpipe, outlet, 36 sq. ft. filter, 10-3/8 in. tall         | 110.61  | 132.91    |
| 19               | 190036    | Assembly, standpipe, outlet, 48 sq. ft. filter, 16-3/8 in. tall         | 127.96  | 153.76    |
| 19               | 190037    | Assembly, standpipe, outlet, 60 sq. ft. filter, 22-3/8 in. tall         | 120.56  | 144.86    |
| 20               | 86006900Z | O-ring, bulkhead                                                        | 5.78    | 6.95      |
| 21               | 271096    | Bulkhead union, set (Optional)                                          | 97.68   | 117.37    |
| 21               | 270100    | Valve Adapter Kit, 2 in. Black (Optional)                               | 107.01  | 128.58    |
| 22               | 190043    | Assembly, pipe, inlet, includes bulkhead                                | 171.34  | 205.88    |
| 23               | 51005000Z | O-ring for drain plug                                                   | 4.33    | 5.20      |
| 23               | 191474Z   | O-ring for drain plug <sup>3</sup>                                      | 2.89    | 3.47      |
| 24               | 86202000  | Plug, 1-1/2 in. drain, w/ O-ring                                        | 30.50   | 36.85     |
| 24               | 190030Z   | Cap drain <sup>3</sup>                                                  | 47.78   | 57.41     |
| 25               |           |                                                                         |         |           |
| 25               | 170016    | Tank bottom, assembly, 36 sq. ft. filter                                | 808.04  | 970.94    |
| 25               | 170017    | Tank bottom, assembly, 48 sq. ft. filter                                | 815.97  | 980.47    |
| 25               | 170018    | Tank bottom, assembly, 60 sq. ft. filter                                | 819.71  | 984.96    |
| 26               | 170019    | Tank lid, 24 sq. ft. filter                                             | CALL    | CALL      |
| 26               | 170020    | Tank lid, 36 sq. ft. filter                                             | 461.52  | 554.56    |
| 26               | 170021    | Tank lid, 48 sq. ft. filter                                             | 558.80  | 671.45    |
| 26               | 170022    | Tank lid, 60 sq. ft. filter                                             | 651.70  | 783.08    |
| 27               | 59000600  | O-ring, bulkhead                                                        | CALL    | CALL      |
| 28               | 192320    | O-ring 2-137 Buna N 70SH <sup>1</sup>                                   | 6.50    | 7.81      |
| 28               | 86006900Z | O-ring bulkhead <sup>2</sup>                                            | 5.78    | 6.95      |
| 29               | 190141    | Bulkhead Kit, 2 in. w/ O-ring <sup>2</sup>                              | 170.58  | 204.97    |
| 30               | 195339    | SS back-up ring <sup>4</sup>                                            | 116.24  | 139.67    |
| 31               | 198080    | 24 Grid Element Pack (7 large, 1 small)                                 | 275.76  | 331.35    |
| 31               | 198081    | 36 Grid Element Pack (7 large, 1 small)                                 | 336.72  | 404.60    |
| 31               | 198082    | 48 Grid Element Pack (7 large, 1 small)                                 | 441.93  | 531.02    |
| 31               | 198083    | 60 Grid Element Pack (7 large, 1 small)                                 | 483.98  | 581.55    |
| NOT SHOWN        |           |                                                                         |         |           |
|                  | 192019    | Wrench, drain plug                                                      | 79.62   | 95.67     |
|                  | 196019    | Parts Bag (Includes warranty card, instruction book, and items 1 and 2) | 110.38  | 132.63    |


<sup>1</sup> Used on filters manufactured before 10/04.

<sup>2</sup> Used on filters manufactured after 10/04.

<sup>3</sup> Used on filters manufactured after 5/21/05.

<sup>4</sup> Used on filters manufactured after 2/03.

# **QUAD D.E.® FILTERS** REPLACEMENT PARTS



| Item              | Part No.                         | Description                                                                                             | US List | Can. List |
|-------------------|----------------------------------|---------------------------------------------------------------------------------------------------------|---------|-----------|
| QUAD D.E. FILTERS |                                  |                                                                                                         |         |           |
| 1                 | 98209800                         | Assy. Manual air relief valve                                                                           | 54.90   | 65.97     |
| 2                 | 170024                           | Lid, Quad 60                                                                                            | 465.45  | 559.28    |
| 2                 | 178581                           | Lid, Quad 80                                                                                            | 531.94  | 639.18    |
| 2                 | 178582                           | Lid, Quad 100                                                                                           | 626.66  | 752.99    |
| 3                 | 178616Z                          | Spring compression                                                                                      | 10.34   | 12.42     |
| 4                 | 170026                           | Manifold top assembly                                                                                   | 126.88  | 152.46    |
| 5                 | 170029                           | Air bleeder assy., Quad 60                                                                              | 73.60   | 88.44     |
| 5                 | 170028                           | Air bleeder assy., Quad 80                                                                              | 74.83   | 89.92     |
| 5                 | 178583                           | Air bleeder assy., Quad 100                                                                             | 72.57   | 87.20     |
| 6                 | 178656Z                          | Cartridge, Quad 100 * (QTY 1, 4 Req.)                                                                   | CALL    | CALL      |
| 6                 | 178655Z                          | Cartridge, Quad 80 * (QTY 1, 4 Req.)                                                                    | CALL    | CALL      |
| 6                 | 178654Z                          | Cartridge, Quad 60 * (QTY 1, 4 Req.)                                                                    | CALL    | CALL      |
| 7                 | 170040                           | Manifold assy. Bottom                                                                                   | 264.84  | 318.23    |
| 8                 | 190003                           | Kit Clamp Band                                                                                          | 511.04  | 614.07    |
| 9                 | 39010200Z                        | O-ring RPM tank clamp                                                                                   | 89.41   | 107.44    |
| 10                | 195339                           | Ring back-up - FNS Pls                                                                                  | 116.24  | 139.67    |
| 11                | 196024S                          | Diverter Assembly, Retro Kit                                                                            | 156.13  | 187.61    |
| 12                | 354571Z                          | O-ring                                                                                                  | 5.60    | 6.73      |
| 13                | 170036                           | Pipe outlet - RPM fltr                                                                                  | 149.89  | 180.11    |
| 14                | 195999                           | Bottom tank w/ drain plug 7-1/2 in.                                                                     | 902.48  | 1084.42   |
| 15                | 178575                           | Bulkhead bottom                                                                                         | CALL    | CALL      |
| 16                | 178711                           | Parts Bag - includes warranty card, instruction Book, Adapter Kit (270100) and Pressure Gauge (190058Z) | 158.73  | 190.73    |
| 17                | 194801                           | Bulkhead - 2-3/8-8 butt                                                                                 | CALL    | CALL      |
| 18                | 86006900Z                        | O-ring 2-329 bulkhead RPM                                                                               | 5.78    | 6.95      |
| 19                | 53108900Z Spring/Barrell Nut Kit |                                                                                                         | CALL    | CALL      |
| 20                |                                  |                                                                                                         |         |           |
| 21                |                                  |                                                                                                         |         |           |
| 22                |                                  |                                                                                                         |         |           |
| 24                | 191474Z                          | O-ring for Drain Plug                                                                                   | 2.89    | 3.47      |
| 25                | 190030Z                          | Cap Drain                                                                                               | 47.78   | 57.41     |
| NOT SHOWN         |                                  |                                                                                                         |         |           |
|                   | 190106Z                          | Repl. Screen Cap for Air Bleeder Assy.                                                                  | 42.81   | 51.44     |
|                   | 274426                           | Adapter Kit - 2-1/2 in. x 2 in.                                                                         | CALL    | CALL      |
|                   | 190058Z                          | Pressure Gauge                                                                                          | CALL    | CALL      |

## CALIFORNIA PROPOSITION 65 WARNING

▲ **WARNING:** Cancer and Reproductive Harm.  
 ▲ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ▲ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)



# SYSTEM:2™ MODULAR D.E. FILTERS


## PLD SERIES REPLACEMENT PARTS



### MODELS

PLD50 - DE

PLD70 - DE



#### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item                          | Part No.    | Description                                  | US List | Can. List |
|-------------------------------|-------------|----------------------------------------------|---------|-----------|
| SYSTEM:2 MODULAR D.E. FILTERS |             |                                              |         |           |
| 1                             | 27001-0054S | Posi-Lok® ring                               | 317.91  | 382.00    |
| 2                             | 25010-0200  | Air release valve assembly                   | 54.56   | 65.56     |
| 3                             | 27001-0020S | Tank shell upper half <sup>1,5</sup>         | 476.11  | 572.09    |
| 4                             | 27001-0061S | Cord-ring                                    | 82.95   | 99.67     |
| 4                             | 27001-0060S | Cord-ring (Pre 3/97), PLD50                  | 82.21   | 98.78     |
| 5                             | 27001-0009S | Tank shell lower half w/ ring <sup>4,5</sup> | 808.78  | 971.83    |
| 6                             | 27001-0051Z | Safety latch for ring                        | 22.37   | 26.88     |
| 7A                            | 27001-0022Z | 1-1/2 in. NPT plug w/ O-Ring                 | 4.45    | 5.35      |
| 7B                            | 24900-0509Z | Adapter fitting (Pre 10/03)                  | 43.18   | 51.89     |
| 7B                            | 24900-0510  | Adapter fitting                              | 43.18   | 51.89     |
| 9                             | U78-820PZ   | 2 in. x 1-1/2 in. Pipe reducer <sup>2</sup>  | 20.49   | 24.62     |
| 10                            | 15060-0000T | Pressure gauge <sup>3</sup>                  | 72.02   | 86.54     |
| 11                            | 24800-0120  | Air bleed assembly                           | 33.22   | 39.92     |
| 12                            | 27002-0030S | Filter module, PLD50                         | 567.98  | 682.48    |
| 12                            | 27002-0036S | Filter module, PLD70                         | 660.76  | 793.97    |
| 13                            | 27001-0011Z | Flapper valve                                | 26.73   | 32.12     |
| 14                            | 27001-0130S | Spring check valve <sup>2</sup>              | 34.49   | 41.44     |
| NOT SHOWN                     |             |                                              |         |           |
|                               | 33455-1050  | Spring check valve gasket                    | 6.19    | 7.44      |

<sup>1</sup> Includes all decals and labels.

<sup>2</sup> Optional Equipment.

<sup>3</sup> Shipped in accessory package.

<sup>4</sup> Includes 27001-0051Z safety latch, & 27001-0054 Posi-Lok ring™ ring.

<sup>5</sup> Filters made before 2005 should replace the top and bottom together.

# SYSTEM:2™ MODULAR D.E. FILTERS


## PLDE SERIES REPLACEMENT PARTS



### MODELS

PLDE36 - DE

PLDE48 - DE



#### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING:** Cancer and Reproductive Harm.  
**⚠ AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**⚠ ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)


| Item                          | Part No.    | Description                                                | US List | Can. List |
|-------------------------------|-------------|------------------------------------------------------------|---------|-----------|
| SYSTEM:2 MODULAR D.E. FILTERS |             |                                                            |         |           |
| 1                             | 27001-0054S | Posi-Lok® Ring                                             | 317.91  | 382.00    |
| 2                             | 25010-0200  | Air Release Valve with O-ring, PLDE36                      | 54.56   | 65.56     |
| 2                             | 24206-0103S | Air Release Valve with O-ring, PLDE48                      | 16.22   | 19.49     |
| 3                             | 15060-0000T | Pressure Gauge                                             | 72.02   | 86.54     |
| 4                             | 27001-0020S | Tank Upper Half with Air Relief Valve, PLDE36 <sup>2</sup> | 476.11  | 572.09    |
| 4                             | 27001-0030S | Tank Upper Half with Air Relief Valve, PLDE48 <sup>2</sup> | 748.91  | 899.89    |
| 5                             | 27001-0061S | Tank O-Ring                                                | 82.95   | 99.67     |
| 6                             | 27002-0036S | Filter Module, PLDE36                                      | 660.76  | 793.97    |
| 6                             | 27002-0048S | Filter Module, PLDE48                                      | 829.46  | 996.68    |
| 6A                            | 24800-0120  | Air Bleed Assembly                                         | 33.22   | 39.92     |
| 7                             | 27001-0015S | Diverter                                                   | 45.57   | 54.76     |
| 8                             | 27001-0016S | Tank Lower Half & Support Base <sup>1, 2</sup>             | 402.92  | 484.15    |
| 9                             | 27001-0022Z | Drain Plug                                                 | 4.45    | 5.35      |
| 10                            | 27001-0051  | Safety Latch                                               | 22.37   | 26.88     |
| 11                            | PKG 188Z    | 2 in. Union Adapter Package (includes 2)                   | 48.66   | 58.47     |

<sup>1</sup> Includes Item Nos. 7, 8, 9, 10.

<sup>2</sup> Filters manufactured before 2005 should replace the top and bottom together.

# SYSTEM:3® D.E. FILTERS

## SD SERIES REPLACEMENT PARTS



### MODELS

S7D75

S8D110

| Item                  | Part No.    | Description                                     | US List | Can. List |
|-----------------------|-------------|-------------------------------------------------|---------|-----------|
| SYSTEM:3 D.E. FILTERS |             |                                                 |         |           |
| 1                     | 33600-0023T | 2 in. Gauge                                     | 72.10   | 86.64     |
| 2                     | 154689Z     | Air Release Valve                               | 45.64   | 54.84     |
| 3                     | 35202-0959  | Nipple                                          | 21.10   | 25.35     |
| 4                     | 24900-0504Z | Adapter Bushing                                 | 28.09   | 33.75     |
| 5                     | 35505-1423Z | O-Ring                                          | 3.22    | 3.87      |
| 6                     | 24851-9000  | Upper Tank Shell Kit, S7D75                     | 1505.28 | 1808.74   |
| 6                     | 24851-9001  | Upper Tank Shell Kit, S8D110                    | 1851.53 | 2224.80   |
| 7                     | 23900-1220S | Filter Assembly, S7D75                          | 1820.39 | 2187.38   |
| 7                     | 23900-1221S | Filter Assembly, S8D110                         | 2352.72 | 2827.03   |
| 8                     | U9-362Z     | O-Ring                                          | 4.33    | 5.20      |
| 9                     | 23911-0102  | Outlet Assembly                                 | 210.58  | 253.03    |
| 10                    | 23911-0100  | Inlet Assembly, S7D75                           | 155.02  | 186.27    |
| 10                    | 23911-0101  | Inlet Assembly, S8D110                          | 157.21  | 188.90    |
| 11                    | 35505-1425Z | O-Ring                                          | 24.90   | 29.92     |
| 12                    | 27001-0022Z | 1-1/2 in. NPT Plug                              | 4.45    | 5.35      |
| 13                    | 24900-0509Z | Adapter Fitting                                 | 43.18   | 51.89     |
| 14                    | 35505-1424Z | O-Ring                                          | 14.92   | 17.93     |
| 15                    | 24900-0503Z | Drain Plug                                      | 42.97   | 51.63     |
| 16                    | 24752-0050Z | Bulkhead Retaining Nut                          | 37.12   | 44.60     |
| 17                    | 24850-0200Z | Clamp Assembly <sup>1</sup>                     | 196.50  | 236.11    |
| 18                    | 24850-0010Z | Clamp Bolt <sup>1</sup>                         | 47.59   | 57.18     |
| 19                    | 24850-0102S | Lower Tank Shell, S7D75                         | 1680.92 | 2019.79   |
| 19                    | 24851-0103S | Lower Tank Shell, S8D110                        | 1899.20 | 2282.08   |
| 20                    | 24850-0008Z | Cord Ring, S7D75                                | 96.60   | 116.07    |
| 20                    | 24850-0009  | Cord Ring, S8D110                               | 110.24  | 132.46    |
| 21                    | 24850-0105  | Valve & Gauge Assembly (Includes #8, 9, 11, 16) | 150.44  | 180.77    |
| NOT SHOWN             |             |                                                 |         |           |
|                       | 24850-0016Z | Clamp Retaining Ring                            | 10.84   | 13.03     |


### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING:** Cancer and Reproductive Harm.  
**⚠ AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**⚠ ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

<sup>1</sup> Model S7D75 uses seven (7) clamps and bolts; Model S8D110 uses eight (8).

# SYSTEM:3® MODULAR D.E. FILTERS

## SMD SERIES REPLACEMENT PARTS



| Item                          | Part No.    | Description                                                                                                 | US List | Can. List |
|-------------------------------|-------------|-------------------------------------------------------------------------------------------------------------|---------|-----------|
| SYSTEM:3 MODULAR D.E. FILTERS |             |                                                                                                             |         |           |
| 1                             | 33600-0023T | 2 in. Gauge                                                                                                 | 72.10   | 86.64     |
| 3                             | 154689Z     | Air Release Valve                                                                                           | 45.64   | 54.84     |
| 4                             | 35202-0959  | Close Nipple, 1/4 in.                                                                                       | 21.10   | 25.35     |
| 5                             | 24900-0504Z | Adapter Bushing                                                                                             | 28.09   | 33.75     |
| 6                             | 35505-1423Z | O-Ring                                                                                                      | 3.22    | 3.87      |
| 7                             | 24851-9000  | Upper Tank Shell Kit <sup>1</sup>                                                                           | 1505.28 | 1808.74   |
| 8                             | 24850-0008Z | Tank O-Ring                                                                                                 | 96.60   | 116.07    |
| 9A                            | 25023-0160S | Replacement Module                                                                                          | 1017.85 | 1223.05   |
| 9A                            | 25023-0172S | Replacement Module                                                                                          | 1687.03 | 2027.14   |
| 9B                            | 24800-0120  | Air Bleed Assembly <sup>2</sup>                                                                             | 33.22   | 39.92     |
| 10                            | 23910-0013S | Baffle Kit (with Screws) <sup>2</sup>                                                                       | 54.03   | 64.92     |
| 11                            | 37207-0728  | Baffle Screws <sup>2</sup>                                                                                  | CALL    | CALL      |
| 12                            | 23910-0100S | Elbow and Bulkhead Assembly <sup>3</sup>                                                                    | 188.65  | 226.68    |
| 13                            | 35505-7438  | O-Ring                                                                                                      | 15.62   | 18.77     |
| 14                            | 23910-0101S | Deflector and Bulkhead Assembly                                                                             | 125.78  | 151.14    |
| 15                            | 35505-1425Z | O-Ring                                                                                                      | 24.90   | 29.92     |
| 16                            | 27001-0022Z | 1-1/2 in. Plug with O-Ring                                                                                  | 4.45    | 5.35      |
| 17                            | 24900-0509Z | Adapter Fitting                                                                                             | 43.18   | 51.89     |
| 18                            | 35505-1424Z | O-Ring                                                                                                      | 14.92   | 17.93     |
| 19                            | 24900-0503Z | Drain Plug                                                                                                  | 42.97   | 51.63     |
| 20                            | 24752-0050Z | Bulkhead Retaining Nut                                                                                      | 37.12   | 44.60     |
| 21                            | 24850-0102S | Lower Tank Shell                                                                                            | 1680.92 | 2019.79   |
| 22                            | 24850-0010Z | Clamp Bolt                                                                                                  | 47.59   | 57.18     |
| 23                            | 24850-0200Z | Clamp Assembly                                                                                              | 196.50  | 236.11    |
| NOT SHOWN                     |             |                                                                                                             |         |           |
|                               |             | System:3 Modular DE Conversion Kit (Includes Key #'s 12, 13, 14, 15, 16) - must also buy Item 9A separately |         |           |
|                               | 23910-1100S |                                                                                                             | 287.53  | 345.50    |

<sup>1</sup> Includes all decals and labels.

<sup>2</sup> Included with Key No. 9A Replacement Module.


<sup>3</sup> Includes O-Ring (Key No. 13).

### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING:** Cancer and Reproductive Harm.  
**⚠ AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**⚠ ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

# SAND DOLLAR® FILTERS

## REPLACEMENT PARTS FOR BLOW MOLDED FILTERS



| Item                     | Part No. | Description                     | US List | Can. List |
|--------------------------|----------|---------------------------------|---------|-----------|
| SAND DOLLAR SAND FILTERS |          |                                 |         |           |
| 1                        | 262506   | Valve 1-1/2 in. 6-way           | CALL    | CALL      |
| 1                        | 263085   | Valve 2 in.                     | CALL    | CALL      |
| 1                        | 262525   | Valve 2 in. with unions         | CALL    | CALL      |
| 2                        | 272541Z  | O-ring valve body               | 8.65    | 10.39     |
| 3                        | 152165   | Assembly, plastic clamp 2 piece | 39.18   | 47.08     |
| 4                        | 152229   | Pipe assembly SD35 <sup>2</sup> | 194.52  | 233.74    |
| 4                        | 152228   | Pipe assembly SD40 <sup>2</sup> | 179.59  | 215.80    |
| 4                        | 152227   | Pipe assembly SD60 <sup>2</sup> | 208.78  | 250.87    |
| 4                        | 152000   | Pipe assembly, SD70             | 207.75  | 249.63    |
| 4                        | 152226   | Pipe assembly SD80              | 163.69  | 196.69    |
| 4                        | 152238   | Pipe assembly SD80 2 in.        | 175.01  | 210.29    |

### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer  
 et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)


# SAND DOLLAR® FILTERS (CONT'D)

## REPLACEMENT PARTS FOR BLOW MOLDED FILTERS

| Item                     | Part No. | Description                                          | US List | Can. List |
|--------------------------|----------|------------------------------------------------------|---------|-----------|
| SAND DOLLAR SAND FILTERS |          |                                                      |         |           |
| 5                        | 152290Z  | Lateral 6, 11/16 in. long, almond, SD40/SD60, 8 req. | 12.00   | 14.42     |
| 5                        | 150084Z  | Lateral, SD35, SD40, black <sup>2</sup>              | 10.80   | 12.98     |
| 5                        | 150085Z  | Lateral XLong, SD60, SD70, SD80, black <sup>2</sup>  | 13.58   | 16.32     |
| 5                        | 150088Z  | Lateral, ClearPro 6 req                              | 169.80  | 204.03    |
| 6                        | 154926Z  | Foot, SD35                                           | 156.70  | 188.29    |
| 6                        | 154520Z  | Foot, SD40, SD60, SD70, & SD80 <sup>1</sup>          | 161.52  | 194.08    |
| 7                        |          |                                                      |         |           |
| 8                        | 154715Z  | Gasket                                               | 5.78    | 6.95      |
| 9                        |          |                                                      |         |           |
| 10                       | 150055   | Complete Drain Assembly                              | 81.14   | 97.50     |
| 11                       |          |                                                      |         |           |
| 11                       | 145341   | Tank with drain SD40, almond                         | 593.93  | 713.67    |
| 11                       |          |                                                      |         |           |
| 11                       | 145368   | Tank with drain SD70, almond                         | 956.54  | 1149.38   |
| 11                       |          |                                                      |         |           |
| 12                       | 190059Z  | Gauge, pressure                                      | 68.74   | 82.60     |
| NOT SHOWN                |          |                                                      |         |           |
|                          | 272569   | Kit Union for 2 in. Valve                            | CALL    | CALL      |
|                          | 150119   | Kit Union for 1-1/2 in. Valve                        | 119.37  | 143.43    |

<sup>1</sup> Used on filters manufactured before 2/02.


<sup>2</sup> Filters manufactured after 10/04.



# TAGELUS® FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS

| Item                                                | Part No. | Description                                                            | US List | Can. List |
|-----------------------------------------------------|----------|------------------------------------------------------------------------|---------|-----------|
| <b>TAGELUS FILTERS WITH THD. &amp; CLAMP VALVES</b> |          |                                                                        |         |           |
| 1A                                                  | 262506   | Valve, 1-1/2 in. 6-way clamp style <sup>1, 4, 6, 8, 10</sup>           | CALL    | CALL      |
| 1A                                                  | 261185   | Valve, 2 in. 6-way clamp style <sup>11A, 11B</sup>                     | CALL    | CALL      |
| 1A                                                  | 262525   | Valve, 2 in. for TA60 with unions                                      | CALL    | CALL      |
| 1B                                                  |          |                                                                        |         |           |
| 2A                                                  | 272541Z  | O-ring valve body, 3/16 in. x 4-3/4 in. i.d. <sup>2, 4, 6, 8, 10</sup> | 8.65    | 10.39     |
| 2A                                                  | 275333   | O-ring valve body, 3/16 in. x 6-1/2 in. i.d. <sup>11A, 11B</sup>       | 10.88   | 13.07     |
| 2B                                                  | 154493Z  | O-ring valve body, .157 in. x 5.75 in. i.d. <sup>1, 3, 5, 7, 9</sup>   | 8.51    | 10.23     |
| 3A                                                  | 355330Z  | O-ring standup, 1/8 in. x 2-3/8 in. i.d. <sup>11A, 11B</sup>           | 2.89    | 3.47      |
| 3B                                                  |          |                                                                        |         |           |
| 4                                                   | 152165   | Clamp, 6-1/2 in. dia. SS, plastic <sup>2, 4, 6, 8, 10</sup>            | 39.18   | 47.08     |
| 4                                                   | 152130   | Clamp, 8.35 in. dia. <sup>11A, 11B</sup>                               | 166.16  | 199.66    |
| 4                                                   | 152175   | Plastic Clamp TA100                                                    | 169.40  | 203.55    |
| 5                                                   | 190059Z  | Gauge back mount pressure                                              | 68.74   | 82.60     |
| 6                                                   | 152520Z  | Adapter, Quad Seal                                                     | 172.36  | 207.11    |
| 6                                                   | 155225   | Adapter, 6 in. "V" thread <sup>2, 6, 8, 10, 15, 19</sup>               | 60.86   | 73.13     |
| 6                                                   | 154521   | Adapter, 8-1/2 in. btr. thread <sup>11A, 11B</sup>                     | 108.20  | 130.01    |
| 7                                                   |          |                                                                        |         |           |
| 7                                                   | 355619Z  | O-ring valve adptr., 3/16 in. x 7-3/4 in. i.d. <sup>11A, 11B</sup>     | 17.33   | 20.82     |
| 7                                                   | 152516Z  | Quad Seal                                                              | 8.49    | 10.20     |
| 8                                                   |          |                                                                        |         |           |
| 9                                                   |          |                                                                        |         |           |
| 10                                                  | 155062   | Piping assembly, (dim. D = 19-7/8 in.) <sup>7, 8</sup>                 | 75.88   | 91.18     |
| 10                                                  | 155063   | Piping assembly, (dim. D = 22-5/8 in.) <sup>9, 10</sup>                | 77.22   | 92.79     |
| 10                                                  | 155323   | Piping assembly, w/ hub, (dim. D = 27-1/4 in.) <sup>11A, 11B</sup>     | 161.60  | 194.18    |
| 10                                                  | 155299   | Piping assembly, w/ hub, w/ 1/4 turn lateral <sup>10, 20</sup>         | 76.48   | 91.90     |
| 10                                                  | 152237   | Piping assembly, w/ hub, TA60 2 in.                                    | 169.45  | 203.61    |



Detail A., after 12/1/91  
6 in. btr. Thread.



Detail B., before 12/1/91  
6 in. "V" Thread.

**CALIFORNIA PROPOSITION 65 WARNING**

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PR030174A

# TAGELUS® FILTERS (CONT'D)

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS

| Item                                       | Part No. | Description                                                    | US List | Can. List |
|--------------------------------------------|----------|----------------------------------------------------------------|---------|-----------|
| TAGELUS FILTERS WITH THREAD & CLAMP VALVES |          |                                                                |         |           |
| 11                                         | 155007   | Lateral, 5-11/32 in. long, 8 req. <sup>1, 2, 3, 4</sup>        | CALL    | CALL      |
| 11                                         | 152290Z  | Lateral, 6-11/16 in. long, 8 req. <sup>5, 9, 6, 10</sup>       | 12.00   | 14.42     |
| 11                                         | 152202Z  | Lateral, 9-1/8 in. long <sup>11A, 11B</sup>                    | 18.18   | 21.85     |
| 11                                         | 150085Z  | Lateral, 1/4 turn, 6 req. <sup>7, 8, 10, 20</sup>              | 13.58   | 16.32     |
| 11                                         | 150088Z  | Lateral, ClearPro - 6 req                                      | 169.80  | 204.03    |
| 12                                         | 154926Z  | Foot tank <sup>3, 5, 7, 9, 4, 6, 8, 10</sup>                   | 156.70  | 188.29    |
| 12                                         | 154596Z  | Foot tank <sup>11A, 14</sup>                                   | 237.98  | 285.96    |
| 13                                         | 154698Z  | Spigot, 3/4 in. NPT sand drain <sup>2, 4, 6, 8, 10</sup>       | 41.75   | 50.17     |
| 13                                         | 152220Z  | Spigot, 2 in. NPT sand drain <sup>11A</sup> (Left-hand thread) | 70.68   | 84.93     |
| 14                                         | 192115Z  | O-ring drain plug, 1/16 in. x 1/2 in. i.d.                     | 4.04    | 4.85      |
| 14                                         | 154871Z  | 2 in. drain cap (1-1/2 in. threads) <sup>11A, 11B</sup>        | 13.52   | 16.25     |
| 15                                         | 357161Z  | Plug, 1/4 in. NPT drain                                        | 8.07    | 9.70      |
| 16                                         | 154512Z  | Wrench, 6-1/2 in. across flats <sup>2, 6, 8, 10</sup>          | 41.31   | 49.64     |
| 16                                         | 151608   | Wrench, 9 in. across flats <sup>14</sup>                       | CALL    | CALL      |
| 18                                         | 272599Z  | Label top mount valve                                          | 9.16    | 11.01     |
| 19                                         | 274494Z  | Sand drain O-ring TA100                                        | 3.16    | 3.80      |
| 20                                         |          |                                                                |         |           |
| NOT SHOWN                                  |          |                                                                |         |           |
|                                            | 155051Z  | Sand guide only <sup>11A, 11B</sup>                            | 11.42   | 13.72     |
|                                            | 150119   | Union Kit 1-1/2 in. Valve                                      | 119.37  | 143.43    |
|                                            | 272569   | Union Kit 2 in. Valve for TA 60D 2" only                       | CALL    | CALL      |

<sup>1</sup> TA 30

<sup>2</sup> TA 30D

<sup>3</sup> TA 35

<sup>4</sup> TA 35D

<sup>5</sup> TA 40

<sup>6</sup> TA 40D

<sup>7</sup> TA 50

<sup>8</sup> TA 50D

<sup>9</sup> TA 60

<sup>10</sup> TA 60D

<sup>11A</sup> TA 100

<sup>11B</sup> TA 100D

<sup>12</sup> Item 3A O-ring, standpipe is used on model TA100D Filters only. Item 3B O-ring, standpipe is used on Tagelus Filter models TA30, 40, 50, 60, manufactured before April, 1993. Item 3B is not used on Tagelus Clamp Filter models TA30D, 35D, 40D, 50D, 60D or on any Tagelus models manufactured after April, 1993.

<sup>13</sup> Tagelus Clamp Filter models tank & ft. assembly have valve adptr., Item 6 factory installed.

<sup>14</sup> Replacement of tank ft. requires the use of mounting tape. See part number listed.

<sup>15</sup> Lubricate O-ring liberally w/ silicone lubricant and tighten to following spec: TA30D, 35D, 40D, 50D, 60D. Handtight plus 1/4 turn min. TA100 D Handtight plus 3/4 turn min.

<sup>16</sup> Tagelus Filter models TA30, 35, 40, 50, 60 manufactured after Nov. 1, 1991 were manufactured w/a btr. thread top opening and utilize a btr. style valve which is black in color. A change was made to the port arrangement in April, 1993 which will require that minor changes be made to the valve plumbing connections when replacing valves on filters manufactured between Nov. 1991 and Mar. 1993. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

<sup>17</sup> Tagelus Filter models TA30, 40, 50, 60 manufactured before Nov. 1, 1991 were manufactured w/a "V" thread style valve that is white or brown in color. These valves may be replaced only w/ "V" thread style valve P/N 261124, see Detail B. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

<sup>18</sup> Tagelus Clamp Filter models TA30D, 35D, 40D, 50D, 60D manufactured after Nov. 1, 1991 were manufactured w/a btr. thread top opening and utilize a btr. thread valve adptr. P/N 154555, see Detail A. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

<sup>19</sup> Tagelus Clamp Filter models TA30D, 40D, 50D, 60D manufactured before Nov. 1, 1991 were manufactured w/a "V" thread top opening and utilize a "V" thread valve adptr. P/N 155225, see Detail B. DO NOT ATTEMPT TO INTERCHANGE THREAD TYPES.

<sup>20</sup> TA60D Filters manufactured after June 1, 2007 have new 1/4 turn laterals.

### CALIFORNIA PROPOSITION 65 WARNING


 **WARNING:** Cancer and Reproductive Harm.  
 **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PR020114A



# TRITON® II FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS



| Item                          | Part No. | Description                                                 | US List | Can. List |
|-------------------------------|----------|-------------------------------------------------------------|---------|-----------|
| <b>TRITON II SAND FILTERS</b> |          |                                                             |         |           |
| 1                             | 154689Z  | Air bleeder/tee assembly <sup>13</sup>                      | 45.64   | 54.84     |
| 2                             | 154700Z  | Adapter, brass air bleeder <sup>13</sup>                    | 18.93   | 22.75     |
| 3                             | 190059Z  | Gauge, back mount pressure <sup>13</sup>                    | 68.74   | 82.60     |
| 4                             | 154661Z  | O-ring, air bleeder adapter <sup>13</sup>                   | 3.04    | 3.65      |
| 5                             | 154664   | Nut, 3/8 in., 16 SS <sup>13</sup>                           | 2.93    | 3.52      |
| 6                             | 152519Z  |                                                             | 172.36  | 207.11    |
| 6                             | 154559   | Closure 6 in. "V" thread, black, see Detail B <sup>13</sup> | 88.20   | 105.98    |
| 7                             | 154493Z  | O-ring closure, 6 in., white <sup>13</sup>                  | 8.51    | 10.23     |
| 7                             | 152516Z  | Quad Seal                                                   | 8.49    | 10.20     |
| 8                             | 154578Z  | Strainer air relief, 1/4 in. <sup>3</sup>                   | 15.88   | 19.08     |
| 8                             | 150035Z  | Strainer air relief, 3/8 in. <sup>4</sup>                   | 15.19   | 18.25     |
| 9                             |          |                                                             |         |           |
| 9                             |          |                                                             |         |           |
| 9                             |          |                                                             |         |           |
| 9                             | 150040   | Tube air relief TR50/60 <sup>4</sup>                        | 30.99   | 37.24     |
| 9                             | 154437   | Tube air relief TR100 <sup>3</sup>                          | 28.68   | 34.46     |
| 9                             | 150041   | Tube air relief TR100 <sup>4</sup>                          | 24.40   | 29.32     |
| 9                             | 154438   | Tube air relief TR140 <sup>3</sup>                          | 37.11   | 44.59     |
| 9                             | 150042   | Tube air relief TR140 <sup>4</sup>                          | 22.71   | 27.29     |
| 10                            |          |                                                             |         |           |
| 10                            | 154599Z  | Diffuser assembly TR60                                      | 82.36   | 98.96     |
| 10                            | 154462   | Diffuser assembly TR100                                     | 82.36   | 98.96     |
| 10                            | 154906   | Diffuser assembly TR140                                     | 84.80   | 101.90    |
| 11                            |          |                                                             |         |           |

|    |         |                                          |        |        |
|----|---------|------------------------------------------|--------|--------|
| 11 |         |                                          |        |        |
| 11 | 154533  | Piping assembly upper TR60               | 71.45  | 85.85  |
| 11 | 154426  | Piping assembly upper TR100              | 123.90 | 148.88 |
| 11 | 154500  | Piping assembly upper TR140              | 78.15  | 93.91  |
| 12 |         |                                          |        |        |
| 12 | 150036Z | Connector air relief tube <sup>4</sup>   | 2.46   | 2.96   |
| 13 |         |                                          |        |        |
| 13 |         |                                          |        |        |
| 13 | 154805  | Piping assembly lower TR60               | 86.16  | 103.53 |
| 13 | 155284  | Piping assembly lower TR60 <sup>14</sup> | 144.45 | 173.57 |
| 13 | 154807  | Piping assembly lower TR/ PF100          | 88.62  | 106.49 |
| 13 | 154489  | Piping assembly lower TR140              | 91.35  | 109.77 |
| 14 |         |                                          |        |        |
| 14 |         |                                          |        |        |
| 14 |         |                                          |        |        |
| 14 |         |                                          |        |        |

### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PN2017A

# TRITON® II FILTERS (CONT'D)

## REPLACEMENT PARTS FOR FIBERGLASS

| Item                   | Part No.   | Description                                                   | US List | Can. List |
|------------------------|------------|---------------------------------------------------------------|---------|-----------|
| TRITON II SAND FILTERS |            |                                                               |         |           |
| 14                     |            |                                                               |         |           |
| 15                     | 152290Z    | Lateral, 6-11/16 in. L TR40/50/60, 8 req.                     | 12.00   | 14.42     |
| 15                     | 150085Z    | Lateral TR60 Gray. 1/4 turn <sup>14</sup>                     | 13.58   | 16.32     |
| 15                     | 152202Z    | Lateral, 9-1/8 in. L TR100, 8 req. <sup>6</sup>               | 18.18   | 21.85     |
| 15                     | 154540Z    | Lateral, 12 in. L TR140, 8 req.                               | 32.94   | 39.58     |
| 15                     | 150088Z    | Lateral, ClearPro                                             | 169.80  | 204.03    |
| 16                     | 154763     | Hub lateral TR40/50/60                                        | 50.37   | 60.52     |
| 16                     | 155753     | Hub lateral, ClearPro- 6 req <sup>14</sup>                    | 68.99   | 82.90     |
| 16                     | 154453Z    | Hub lateral TR100/140                                         | 168.66  | 202.66    |
| 17                     | 154698Z    | Spigot, 3/4 in. NPT sand drain <sup>8</sup>                   | 41.75   | 50.17     |
| 18                     | 357161Z    | Plug, 1/4 in. NPT drain <sup>8</sup>                          | 8.07    | 9.70      |
| 18                     | U178-920PZ | Drain Plug Assy                                               | 8.07    | 9.70      |
| 19                     | 154512Z    | Wrench, 6 in. closure <sup>13</sup>                           | 41.31   | 49.64     |
| 19                     | 154510     | Wrench closure aluminum, 6 in. <sup>13</sup>                  | 309.50  | 371.90    |
| 20                     |            |                                                               |         |           |
| 21                     |            |                                                               |         |           |
| 22                     |            |                                                               |         |           |
| 23                     |            |                                                               |         |           |
| 24                     |            |                                                               |         |           |
| 25                     |            |                                                               |         |           |
| 26                     | 192115Z    | O-ring drain plug <sup>8</sup>                                | 4.04    | 4.85      |
| 27                     |            |                                                               |         |           |
| 28                     | 154926Z    | Foot, 16 in. dia., TR40/50 <sup>2, 11</sup>                   | 156.70  | 188.29    |
| 28                     | 154520Z    | Foot, 19 in. dia., TR60 <sup>2, 11</sup>                      | 161.52  | 194.08    |
| 28                     | 154596Z    | Foot, 24 in. dia., TR100/140 <sup>2, 11</sup>                 | 237.98  | 285.96    |
| 29                     | 274494Z    | O-ring valve adptr., 2 req.                                   | 3.16    | 3.80      |
| 30                     | 271092     | 2 in. Thread adapter. kit <sup>9</sup>                        | 97.68   | 117.37    |
| 31                     | 271094     | 1-1/2 in. Thread adapter. kit <sup>9</sup>                    | 97.68   | 117.37    |
| 32                     | 271096     | 2 in. Slip adapter. kit <sup>9</sup>                          | 97.68   | 117.37    |
| 32                     | 274426Z    | Adapter Kit, 1-1/2 in. x 2 in.                                | 77.99   | 93.71     |
| 33                     | 155738     | Kit closure, 8-1/2 in HD                                      | 388.54  | 466.87    |
| 33                     | 154641Z    | Kit closure, 6 in. btr. thread, black, Detail A <sup>13</sup> | 312.67  | 375.70    |
| 33                     | 154697     | Kit closure, 6 in. "V" thread, tan, Detail B <sup>13</sup>    | 303.62  | 364.83    |
| 33                     | 154856     | Kit closure, 8-1/2 in. btr. thread, black <sup>10, 13</sup>   | 423.05  | 508.34    |
| 34                     | 154687     | Fitting package complete <sup>12, 13</sup>                    | 77.38   | 92.98     |
| 35                     |            |                                                               |         |           |
| 35                     |            |                                                               |         |           |
| 35                     |            |                                                               |         |           |
| 35                     |            |                                                               |         |           |

### NOT SHOWN

|         |                                                                |        |        |
|---------|----------------------------------------------------------------|--------|--------|
| 154714  | Bulkhead Asy 2 IN TR (includes items 20, 21, 22, 23, 24, & 25) | CALL   | CALL   |
| 151602  | Bulkhead wrench, 2 in.                                         | 456.20 | 548.17 |
| 154714  | Bulkhead kit include items 20-25                               | CALL   | CALL   |
| 151092  | Aluminum wrench, 8-1/2 in.                                     | 748.49 | 899.39 |
| 152220Z | Sand drain, 2 in. (used on TR100 and TR140) (Left-hand thread) | 70.68  | 84.93  |
| 154871Z | Cap thd., 1-1/2 in.                                            | 13.52  | 16.25  |
| 274494Z | Sand drain O-ring TA100 (used on TR100 and (TR140)             | 3.16   | 3.80   |

Filters manufactured after Dec 1, 1991 utilize a 6 in. btr. thread in the filter tank top opening and on the closure, see Detail A.

Filters manufactured before Dec 1, 1991 utilize a 6 in. "V" type thread, see Detail B.

6 in. closures in Detail A and B are NOT interchangeable.



Detail A after 12/1/91  
6 in. btr. Thread.



Detail B before 12/1/91  
6 in. "V" Thread.

<sup>1</sup> Used on filters manufactured before 2-89.

<sup>2</sup> Used on filters manufactured after 2-89.

<sup>3</sup> All filters manufactured before 11-1-99.

<sup>4</sup> Used on filters manufactured after 11-1-99.

<sup>5</sup> Used on filters manufactured before 5-85.

<sup>6</sup> Used on filters manufactured after 5-85.

<sup>7</sup> Used on filters manufactured before 3-83.

<sup>8</sup> Used on filters manufactured after 3-83.

<sup>9</sup> For installations w/out valve, pair.

<sup>10</sup> Used on all TR100 & 140 filters manufactured after 10-1-01.

<sup>11</sup> Replacement of tank foot requires the use of foot mounting tape. See P/N's.

<sup>12</sup> Fitting package includes items 1,2,4,5 and 27.

<sup>13</sup> For individual parts for closure kit for TR100 and TR140 see replacement parts pages.

<sup>14</sup> For TR60's built after 6-07.

### CALIFORNIA PROPOSITION 65 WARNING


⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

# CRISTAL-FLO™ II HIGH-RATE SAND FILTERS

## REPLACEMENT PARTS



| Item                                         | Part No. | Description                                          | US List | Can. List |
|----------------------------------------------|----------|------------------------------------------------------|---------|-----------|
| <b>CRISTAL-FLO II HIGH-RATE SAND FILTERS</b> |          |                                                      |         |           |
| 1                                            | 262506   | Valve, 1-1/2 in. 6-Way                               | CALL    | CALL      |
| 1                                            | 262525   | Valve, 2 in. with unions                             | CALL    | CALL      |
| 2                                            | 272541Z  | O-Ring Valve Body                                    | 8.65    | 10.39     |
| 3                                            | 152165   | Clamp Assembly                                       | 39.18   | 47.08     |
| 4                                            | 152229   | Piping Assembly – 16 in. Tank                        | 194.52  | 233.74    |
| 4                                            | 152228   | Piping Assembly – 19 in. Tank                        | 179.59  | 215.80    |
| 4                                            | 152227   | Piping Assembly – 22 in. Tank                        | 208.78  | 250.87    |
| 4                                            | 152000   | Piping Assembly – 24 in. Tank                        | 207.75  | 249.63    |
| 4                                            | 152226   | Piping Assembly – 26 in. Tank                        | 163.69  | 196.69    |
| 4                                            | 152238   | Piping Assembly – CFII 26 - 2 in.                    | 175.01  | 210.29    |
| 5                                            | 150084Z  | Lateral – 16 in. & 19 in. Tanks<br>(6 req.)          | 10.80   | 12.98     |
| 5                                            | 150085Z  | Lateral – 22 in., 24 in., & 26 in. Tanks<br>(6 req.) | 13.58   | 16.32     |
| 6                                            |          |                                                      |         |           |
| 6                                            |          |                                                      |         |           |
| 6                                            |          |                                                      |         |           |
| 6                                            |          |                                                      |         |           |
| 6                                            |          |                                                      |         |           |
| 7                                            |          |                                                      |         |           |
| 8                                            |          |                                                      |         |           |
| 9                                            |          |                                                      |         |           |
| 10                                           | 154926Z  | Foot, 16 in. Tank                                    | 156.70  | 188.29    |
| 10                                           | 154520Z  | Foot, 19 in., 22 in., 24 in.,<br>& 26 in. Tanks      | 161.52  | 194.08    |
| 11                                           | 190059Z  | Pressure Gauge                                       | 68.74   | 82.60     |
| 12                                           | 150055   | Kit Drain Assy (Incl. #7, 8, 9)                      | 81.14   | 97.50     |
| <b>NOT SHOWN</b>                             |          |                                                      |         |           |
|                                              | 150119   | Union Kit for 1-1/2 in. Valve                        | 119.37  | 143.43    |
|                                              | 272569   | Union Kit for 2 in. Valve                            | CALL    | CALL      |



### CALIFORNIA PROPOSITION 65 WARNING

⚠ **WARNING:** Cancer and Reproductive Harm.  
 ⚠ **AVERTISSEMENT:** Peut Causer le Cancer  
 et des Dommages au Système Reproducteur.  
 ⚠ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

# SYSTEM:3® SAND FILTERS


## SS SERIES REPLACEMENT PARTS



### MODELS

S7S50

S8S70




Lateral repair procedure.

**WARNING** To avoid serious personal injury or property damage, follow cement manufacturer's instructions exactly.

#### CALIFORNIA PROPOSITION 65 WARNING

**WARNING:** Cancer and Reproductive Harm.  
**AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
**ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)



| Item                  | Part No.     | Description                                            | US List | Can. List |
|-----------------------|--------------|--------------------------------------------------------|---------|-----------|
| SYSTEM:3 SAND FILTERS |              |                                                        |         |           |
| 1                     | 33600-0023TZ | 2 in. Gauge                                            | 72.10   | 86.64     |
| 2                     | 154689Z      | Valve Assembly                                         | 45.64   | 54.84     |
| 3                     | 35202-0959Z  | Nipple                                                 | 21.10   | 25.35     |
| 4                     | 24900-0504Z  | Adapter Bushing                                        | 28.09   | 33.75     |
| 5                     | 35505-1423Z  | O-Ring                                                 | 3.22    | 3.87      |
| 6                     | 24851-9000   | Tank - Upper Half Kit <sup>2</sup> - Model S7S50       | 1505.28 | 1808.74   |
| 6                     | 24851-9001   | Tank - Upper Half Kit <sup>2</sup> - Model S8S70       | 1851.53 | 2224.80   |
| 7                     | 24900-0100S  | Collector - Assembly (Includes Laterals) - Model S7S50 | 969.42  | 1164.86   |
| 7                     |              |                                                        |         |           |
| 8                     | WC8-126Z     | Air Bleed Filter (Blue)                                | 23.10   | 27.76     |
| 9                     |              |                                                        |         |           |
| 10                    |              |                                                        |         |           |
| 11                    | 24900-0002   | Lateral - Model S7S50 (16 req.)                        | 18.59   | 22.34     |
| 11                    | 24901-0003   | Lateral - Model S8S70 (16 req.)                        | 21.11   | 25.37     |
| 12                    | 35505-1424Z  | O-Ring                                                 | 14.92   | 17.93     |
| 13                    | 24900-0503Z  | Plug (Sand Removal)                                    | 42.97   | 51.63     |
| 14                    | 24900-0505Z  | Drain Fitting                                          | 39.40   | 47.34     |
| 15                    | 27001-0022Z  | 1-1/2 in. NPT Plug                                     | 4.45    | 5.35      |
| 16                    | 35505-1425Z  | O-Ring                                                 | 24.90   | 29.92     |
| 17                    | 24900-0500Z  | Tank Fitting                                           | 74.87   | 89.96     |
| SYSTEM:3 SAND FILTERS |              |                                                        |         |           |

| Item      | Part No.    | Description                                                                                           | US List | Can. List |
|-----------|-------------|-------------------------------------------------------------------------------------------------------|---------|-----------|
| 18        | 24900-0501Z | Tank Fitting                                                                                          | 66.72   | 80.17     |
| 19        | 24850-0200Z | Clamp Assembly <sup>3</sup>                                                                           | 196.50  | 236.11    |
| 19A       | 24850-0010Z | Clamp Bolt <sup>3</sup>                                                                               | 47.59   | 57.18     |
| 20        |             |                                                                                                       |         |           |
| 20        |             |                                                                                                       |         |           |
| 21        | 24850-0008Z | Cord Ring - Model S7S50                                                                               | 96.60   | 116.07    |
| 21        | 24850-0009  | Cord Ring - Model S8S70                                                                               | 110.24  | 132.46    |
| 22        | 24850-0105  | Valve & Gauge Assembly (Includes #1, 2, 3, 4, 5)                                                      | 150.44  | 180.77    |
| NOT SHOWN |             |                                                                                                       |         |           |
|           | 24850-0016Z | Clamp Retaining Ring <sup>3</sup>                                                                     | 10.84   | 13.03     |
|           | 25021-2021  | System:3 Sand Conversion Kit #12,13,14,15,16,17,18) - Model S7S50 - Must also buy item # 7 separately | 274.01  | 329.25    |

<sup>1</sup> Available for lateral repairs.


<sup>2</sup> Includes all decals and labels.

<sup>3</sup> Model S7S50 uses seven clamps and bolts; Model S8S70 uses eight.

<sup>4</sup> As required.

# TR100C™ & TR140C™ FILTERS

## REPLACEMENT PARTS FOR COMMERCIAL FIBERGLASS FILTERS



CALIFORNIA PROPOSITION 65 WARNING  
 ⚠️ **WARNING:** Cancer and Reproductive Harm.  
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item                         | Part No. | Description                                       | US List | Can. List |
|------------------------------|----------|---------------------------------------------------|---------|-----------|
| TR100C & TR140C SAND FILTERS |          |                                                   |         |           |
| 1                            | 273512Z  | Air bleeder w/ O-ring                             | 18.30   | 21.99     |
| 2                            |          |                                                   |         |           |
| 3                            | 273564Z  | Manual air relief body assembly                   | 153.33  | 184.24    |
| 4                            | 190059Z  | Pressure gauge                                    | 68.74   | 82.60     |
| 5                            | 274495Z  | O-ring, 3/16 in. x 2-5/8 in. i.d.                 | 2.25    | 2.70      |
| 6                            | 273564Z  | Valve body machined ARF                           | 153.33  | 184.24    |
| 7                            | 154575Z  | Closure, 8-1/2 in. btr.                           | 106.79  | 128.32    |
| 8                            | 152509Z  | Square ring 8-1/2 in.                             | 11.74   | 14.11     |
| 9                            | 154599   | Diffuser Assembly                                 | 82.36   | 98.96     |
| 10                           | 156355   | Piping assembly upper TR100C, TR140C <sup>1</sup> | 164.01  | 197.07    |
| 11                           | 156344   | Piping assembly upper inlet TR100C, TR140C        | 115.46  | 138.74    |
| 12                           | 156354   | Piping connecting assembly upper TR140C           | 130.24  | 156.50    |
| 13                           | 154412Z  | Nut, 2 in. internal                               | 15.75   | 18.93     |

<sup>1</sup> Different quantities required for TR100C and TR140C Filters.

<sup>2</sup> Use on filters manufactured before 11-1-99.

<sup>3</sup> Use on filters manufactured after 11-1-99.


| Item                         | Part No. | Description                                           | US List | Can. List |
|------------------------------|----------|-------------------------------------------------------|---------|-----------|
| TR100C & TR140C SAND FILTERS |          |                                                       |         |           |
| 14                           |          |                                                       |         |           |
| 14                           |          |                                                       |         |           |
| 15                           | 154453Z  | Hub lateral TR100C/TR140C                             | 168.66  | 202.66    |
| 16                           | 154596Z  | Foot, 24 in. dia. TR100C/TR140C                       | 237.98  | 285.96    |
| 17                           | 152202Z  | Lateral, 9-1/8 in. TR100C, 8 req.                     | 18.18   | 21.85     |
| 17                           | 154540Z  | Lateral, 12 in. TR140C, 8 req.                        | 32.94   | 39.58     |
| 18                           | 154412Z  | Locknut, 2 in. internal                               | 15.75   | 18.93     |
| 19                           | 154416Z  | Spacer, 2 in. internal                                | 22.90   | 27.52     |
| 20                           | 154492Z  | O-ring, 2 in. bulkhead                                | 4.21    | 5.06      |
| 21                           |          |                                                       |         |           |
| 22                           | 154538Z  | Gasket, 2 in. bulkhead                                | 5.05    | 6.07      |
| 23                           |          |                                                       |         |           |
| 24                           | 274494Z  | O-ring, 3/16 in. x 2-5/8 in. L.H. Thread              | 3.16    | 3.80      |
| 25                           | 152220Z  | 2 in. sand drain (Left-hand thread)                   | 70.68   | 84.93     |
| 26                           | 154871Z  | Cap thd., 1-1/2 in.                                   | 13.52   | 16.25     |
| 27                           | 154527Z  | Wrench, 8-1/2 in. closure                             | 47.05   | 56.54     |
| 28                           | 154807   | Piping assembly lower TR100C                          | 88.62   | 106.49    |
| 28                           | 154489   | Piping assembly lower TR140C                          | 91.35   | 109.77    |
| 29                           | 150036Z  | Connector air relief tube <sup>3</sup>                | 2.46    | 2.96      |
| 30                           | 273071Z  | Screw, No.14 18-8 TR100C <sup>1</sup>                 | 2.75    | 3.30      |
| 31                           | 154437   | Tube air relief TR100C <sup>2</sup>                   | 28.68   | 34.46     |
| 31                           | 150041   | Tube air relief TR100C <sup>3</sup>                   | 24.40   | 29.32     |
| 31                           | 154438   | Tube air relief TR140C <sup>2</sup>                   | 37.11   | 44.59     |
| 31                           | 150042   | Tube air relief TR140C <sup>3</sup>                   | 22.71   | 27.29     |
| 32                           |          |                                                       |         |           |
| 32                           |          |                                                       |         |           |
| 33                           | 154578Z  | Strainer air relief <sup>2</sup>                      | 15.88   | 19.08     |
| 33                           | 150035Z  | Strainer air relief <sup>3</sup>                      | 15.19   | 18.25     |
| 34                           | 274494Z  | O-ring valve adapter                                  | 3.16    | 3.80      |
| 35                           | 271096   | 2 in. slip adaptor kit for inst. w/o valve (pair)     | 97.68   | 117.37    |
| 35                           | 274426Z  | Adapter Kit, 2-1/2 in. x 2 in.                        | 77.99   | 93.71     |
| 36                           | 271092   | 2 in. thd. adaptor kit for inst. w/o valve (pair)     | 97.68   | 117.37    |
| 37                           | 271094   | 1-1/2 in. thd. adaptor kit for inst. w/o valve (pair) | 97.68   | 117.37    |
| 38                           | 154856   | Kit closure 8-1/2 in. btr. thd. blk.                  | 423.05  | 508.34    |

# TRITON® C-3 FILTERS

## REPLACEMENT PARTS FOR FIBERGLASS FILTERS

| Item                        | Part No. | Description                                                      | US List | Can. List |
|-----------------------------|----------|------------------------------------------------------------------|---------|-----------|
| TRITON C & C-3 SAND FILTERS |          |                                                                  |         |           |
| 1                           | 273512Z  | Air bleeder with O-ring <sup>2,3</sup>                           | 18.30   | 21.99     |
| 2                           |          |                                                                  |         |           |
| 3                           | 273564Z  | Valve body machined <sup>2</sup>                                 | 153.33  | 184.24    |
| 4                           |          |                                                                  |         |           |
| 5                           | 190059Z  | Pressure gauge <sup>2</sup>                                      | 68.74   | 82.60     |
| 6                           | 152517   | O-ring adapter, 6 in. <sup>2</sup>                               | 6.88    | 8.27      |
| 7                           | 273564Z  | Manual air relief assembly <sup>2</sup>                          | 153.33  | 184.24    |
| 8                           | 154575Z  | Closure 8-1/2 in. <sup>2</sup>                                   | 106.79  | 128.32    |
| 9                           | 154412Z  | Locknut, 2 in. internal                                          | 15.75   | 18.93     |
| 10                          | 152509Z  | Square ring-closure <sup>2,3</sup>                               | 11.74   | 14.11     |
| 11                          | 154527Z  | Wrench, 8-1/2 in. closure <sup>2</sup>                           | 47.05   | 56.54     |
| 12                          | 154856   | Kit, 8-1/2 in. closure butt thread <sup>6</sup>                  | 423.05  | 508.34    |
| 12                          | 156842   | Closure kit C3 with bulkhead gaskets <sup>6</sup>                | 425.98  | 511.86    |
| 15                          | 154007   | Upper piping assembly TR 100C-3                                  | 236.91  | 284.67    |
| 15                          | 154008   | Upper piping assembly TR 140C-3                                  | 241.05  | 289.65    |
| 16                          | 154005   | O-ring parker 2-343, 2 req.                                      | 11.08   | 13.31     |
| 17                          | 154002   | Spacer, 3 in., 2 req.                                            | 98.75   | 118.66    |
| 18                          | 154004Z  | O-ring parker 2-342, 2 req.                                      | 11.08   | 13.31     |
| 19                          | 154003   | Flange, 3 in., 2 req.                                            | 124.16  | 149.19    |
| 20                          | 154001Z  | Adapter flange, 3 in., 2 req.                                    | 102.11  | 122.70    |
| 21                          | 154009   | Lower piping assembly TR 100C-3 (Hub not included - see item 40) | 241.95  | 290.73    |
| 21                          | 154010   | Lower piping assembly TR 140C-3 (Hub not included - see item 40) | 238.66  | 286.77    |
| 22                          | 154596Z  | Foot, 24 dia. TR 100C-3/140C-3                                   | 237.98  | 285.96    |
| 23                          | 152202Z  | Lateral, 9 in. TR 100C-3, 8 req.                                 | 18.18   | 21.85     |
| 23                          | 154540Z  | Lateral, 12 in. TR 140C-3, 8 req.                                | 32.94   | 39.58     |
| 24                          | 154871Z  | Cap thd., 1-1/2 in.                                              | 13.52   | 16.25     |
| 25                          | 152220Z  | Sand drain, 2 in. (Left-hand thread)                             | 70.68   | 84.93     |
| 26                          | 274494Z  | O-ring, 3/16 in. x 2-5/8 in. i.d., 2 req.                        | 3.16    | 3.80      |
| 27                          |          |                                                                  |         |           |
| 28                          | 154437   | Tube air relief TR100C-3 (23 in.) <sup>4</sup>                   | 28.68   | 34.46     |
| 28                          |          |                                                                  |         |           |
| 28                          | 154438   | Tube air relief TR140C-3 (27 in.) <sup>4</sup>                   | 37.11   | 44.59     |
| 28                          |          |                                                                  |         |           |
| 29                          |          |                                                                  |         |           |
| 30                          | 273071Z  | Screw, No.10-1-1/2 in. flathead phillips, 2 req.                 | 2.75    | 3.30      |

| Item                        | Part No. | Description                                                    | US List | Can. List |
|-----------------------------|----------|----------------------------------------------------------------|---------|-----------|
| TRITON C & C-3 SAND FILTERS |          |                                                                |         |           |
| 31                          | 154599   | Diffuser (2 req'd. for TR 100C-3), 2 req.                      | 82.36   | 98.96     |
| 31                          | 154599   | Diffuser (4 req'd. for TR 140C-3), 4 req.                      | 82.36   | 98.96     |
| 32                          |          |                                                                |         |           |
| 32                          |          |                                                                |         |           |
| 33                          | 154578Z  | Strainer air relief <sup>4</sup>                               | 15.88   | 19.08     |
| 33                          | 150035Z  | Strainer air relief <sup>5</sup>                               | 15.19   | 18.25     |
| 34                          | 190058Z  | Pressure gauge, 1/4 in. psi <sup>3</sup>                       | 13.93   | 16.74     |
| 35                          |          |                                                                |         |           |
| 36                          |          |                                                                |         |           |
| 37                          |          |                                                                |         |           |
| 38                          | 154576Z  | Closure oval <sup>3</sup>                                      | 162.36  | 195.09    |
| 39                          |          |                                                                |         |           |
| 40                          | 154016Z  | Hub                                                            | CALL    | CALL      |
| NOT SHOWN                   |          |                                                                |         |           |
|                             | 154714Z  | Bulkhead ASY 2 IN TR (includes items 20, 21, 22, 23, 24, & 25) | CALL    | CALL      |
|                             | 151600   | Oval Bulkhead Wrench                                           | 849.03  | 1020.19   |
|                             | 151604   | Oval Bulkhead Wrench                                           | 1123.73 | 1350.27   |
|                             | 151092   | Aluminum Wrench                                                | 748.49  | 899.39    |



<sup>1</sup> P/N 156841 includes items 1, 10, 34 thru 38.

<sup>2</sup> Used on filters manufactured before 3-97.

<sup>3</sup> Used on filters manufactured after 3-97.

<sup>4</sup> Used on filters manufactured before 11-99.

<sup>5</sup> Used on filters manufactured after 11-99.

<sup>6</sup> Used on filters manufactured after 4-15.

### CALIFORNIA PROPOSITION 65 WARNING

**⚠ WARNING: Cancer and Reproductive Harm.**  
**⚠ AVERTISSEMENT: Peut Causer le Cancer et des Dommages au Système Reproducteur.**  
**⚠ ADVERTENCIA: Cáncer y Daño Reproductivo.**  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

PR000174



# SCH 40 & 80 FOR TR100C, TR140C & TR100C-3, TR140C-3

## TANDEM FILTER PIPING KITS FOR 2 IN. AND 3 IN. FILTERS

| Item                                                      | Description                                                                                                                              | Schedule | Qty. |
|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| THE FOLLOWING ARE INCLUDED IN KITS FOR TR C FILTERS       |                                                                                                                                          |          |      |
| 1                                                         | Flange VS, socket, 150 lb.                                                                                                               | 80       | 2    |
| 2                                                         | Flange VS, spigot, 150 lb.                                                                                                               | 80       | 6    |
| 3                                                         | Butterfly valve, Asahi SP                                                                                                                |          | 4    |
| 4                                                         | Hardware kit, valve/flange hardware (No. 1), Includes: 16-5/8 x 6 in. hex head bolts, 16-5/8 in. nuts, 32-5/8 in. washers                |          | 1    |
| 5                                                         | Socket reducer tee                                                                                                                       | 40       | 4    |
| 6                                                         | 2 in. Spigot x socket 45° str. elbow                                                                                                     | 40       | 4    |
| 7                                                         | 2 in. Spigot female adapter, spigot x fip                                                                                                | 40       | 4    |
| 8                                                         | 2 in. Valve adapter kit                                                                                                                  |          | 2    |
| 9                                                         | Socket tee                                                                                                                               | 40       | 1    |
| 10                                                        | 90° Socket elbow                                                                                                                         | 40       | 1    |
| 11                                                        | Socket reducer saddle                                                                                                                    | 40       | 6    |
| 12                                                        | 2 in. Flange one-piece socket, 150 lb.                                                                                                   | 80       | 2    |
| SINGLE TANK 2 IN. ADDER KIT                               |                                                                                                                                          |          |      |
| 1                                                         | Socket reducer tee, 4 x 2                                                                                                                | 40       | 2    |
| 2                                                         | 2 in. Spigot x socket 45° str. elbow                                                                                                     | 40       | 2    |
| 3                                                         | 2 in. Spigot female adapter, spigot x fip                                                                                                | 40       | 2    |
| 4                                                         | 2 in. Valve adapter kit                                                                                                                  |          | 1    |
| 5                                                         | Socket reducer saddle, 4 x 2                                                                                                             | 40       | 3    |
| 6                                                         | 2 in. Flange one-piece socket, 150 lb.                                                                                                   | 80       | 1    |
| THE FOLLOWING ARE INCLUDED IN KITS FOR TR C-3 IN. FILTERS |                                                                                                                                          |          |      |
| 1                                                         | Flange VS, socket, 150 lb.                                                                                                               | 80       | 2    |
| 2                                                         | Flange VS, spigot, 150 lb.                                                                                                               | 80       | 6    |
| 3                                                         | Butterfly valve, Asahi SP                                                                                                                |          | 4    |
| 4                                                         | Hardware kit, valve/flange hardware (No.1), Includes: 16-5/8 x 6 in. hex head bolts, 16-5/8 in. nuts, 32-5/8 in. washers                 |          | 1    |
| 5                                                         | Socket tee                                                                                                                               | 40       | 5    |
| 6                                                         | 3 in. Spigot x socket 45° str. elbow                                                                                                     | 40       | 4    |
| 7                                                         | Socket reducer saddle                                                                                                                    | 40       | 3    |
| 8                                                         | 2 in. Flange one-piece socket, 150 lb. solid                                                                                             | 80       | 1    |
| 9                                                         | 3 in. Flange VS, spigot, 150 lb.                                                                                                         | 80       | 4    |
| 10                                                        | 3 in. Bolt pack, tank/flange hardware w/ gasket (No.4), Includes: 16-5/8 x 3-1/4 in. hex head bolts, 16-5/8 in. nuts, 32-5/8 in. washers |          | 1    |
| 11                                                        | 90° Socket elbow                                                                                                                         | 40       | 1    |
| SINGLE TANK 3 IN. ADDER KIT                               |                                                                                                                                          |          |      |
| 1                                                         | Socket reducer tee                                                                                                                       | 40       | 2    |
| 2                                                         | 3 in. Spigot x socket 45° str. elbow                                                                                                     | 40       | 2    |
| 3                                                         | Socket reducer saddle                                                                                                                    | 40       | 3    |
| 4                                                         | 2 in. Flange one-piece socket, 150 lb. solid                                                                                             | 80       | 1    |
| 5                                                         | 3 in. Flange VS, spigot, 150 lb.                                                                                                         | 80       | 2    |
| 6                                                         | 3 in. Bolt pack, tank/flange hardware w/ gasket (No.5), Includes: 8-5/8 x 3-1/4 in. hex head bolts, 8-5/8 in. nuts, 16-5/8 in. washers   |          | 1    |

Please contact the Factory for Drawings and Sizing details on Plumbing kits for the Triton C & C-3 in. Filters.


CALIFORNIA PROPOSITION 65 WARNING

 **WARNING:** Cancer and Reproductive Harm.  
 **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 **ADVERTENCIA:** Cáncer y Daño Reproductivo.

www.p65warnings.ca.gov. PH 200714

# THS SERIES® HORIZONTAL SAND FILTER

## REPLACEMENT PARTS




CALIFORNIA PROPOSITION 65 WARNING  
 ⚠️ **WARNING:** Cancer and Reproductive Harm.  
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

| Item                                | Part No.   | Description                        | Tank Used On      | Qty. |
|-------------------------------------|------------|------------------------------------|-------------------|------|
| THS SERIES® HORIZONTAL SAND FILTERS |            |                                    |                   |      |
| 1                                   | B4848BL-32 | Tank Saddle, Black                 | All               | 2    |
| 2                                   | B4856      | Yoke, Manway                       | All               | 2    |
| 3                                   | B4852A-N   | Glass Filled Manway Cover, Black   | All               | 1    |
| 4                                   |            |                                    |                   |      |
| 5                                   |            |                                    |                   |      |
| 6                                   | B4804      | 10 in. Effluent Lateral            | THS3461           | 14   |
|                                     |            |                                    | THS3484           | 20   |
|                                     |            |                                    | THS4272           | 18   |
|                                     |            |                                    | THS4284           | 24   |
|                                     |            |                                    | THS4296           | 28   |
| 7                                   | B4803      | 3-1/2 in. Effluent Lateral         | THS3461 - THS3484 | 2    |
|                                     |            |                                    | THS4272 - THS4296 | 3    |
| 8                                   | B4980      | Media Dump Assembly                | All               | 1    |
| 8a                                  |            |                                    |                   |      |
| 8b                                  |            |                                    |                   |      |
| 8c                                  | B4698      | O-Ring                             | All               | 1    |
| 8d                                  |            |                                    |                   |      |
| 9                                   | B4981X     | 1-1/2 in. NPT Tank Adapter         | All               | 1    |
| 10                                  | B4951      | Manway O-ring                      | All               | 1    |
| 11                                  | **         | Effluent Manifold without Laterals | **                | 1    |
| 12                                  | **         | Influent Manifold without Laterals | **                | 1    |
| 13                                  | B4806      | Shower Head Diffuser               | THS3461           | 8    |
|                                     |            |                                    | THS3484           | 10   |
|                                     |            |                                    | THS4272           | 10   |
|                                     |            |                                    | THS4284           | 12   |
|                                     |            |                                    | THS4296           | 14   |
| 14                                  | B4570      | 4 in. Grooved Coupling Assembly    | THS3461 - THS3484 | 1    |
| 14                                  | B4572      | 6 in. Grooved Coupling Assembly    | THS4272 - THS4296 | 1    |
| 15                                  |            |                                    |                   |      |
| 16                                  | B4974BAN   | 1/2 in. Manual Air Relief Cap      | All               | 1    |
| 17                                  | B4970BAN   | 1/2 in. Threaded Nipple            | All               | 1    |
| 18                                  | B4979BAN   | 1/2 in. Bulkhead Fitting           | All               | 1    |



# SEPARATION TANK

## REPLACEMENT PARTS




CALIFORNIA PROPOSITION 65 WARNING  
 ⚠️ **WARNING:** Cancer and Reproductive Harm.  
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov) PR120714

| Item                               | Part No.   | Description                       | US List | Can. List |
|------------------------------------|------------|-----------------------------------|---------|-----------|
| SEPARATION TANK - SEP 48/72/96/144 |            |                                   |         |           |
| 1                                  | 98209800   | High Flow manual air relief valve | 54.90   | 65.97     |
| 2                                  | 190058Z    | Pressure Gauge                    | 13.93   | 16.74     |
| 3                                  | 310010Z    | Tank Lid                          | 252.91  | 303.90    |
| 4                                  | 59052900Z  | Locking Ring Assembly             | 157.66  | 189.44    |
| 5                                  | 87300400Z  | Body O-Ring                       | 15.51   | 18.64     |
| 6                                  | 170099     | Separation Bag Retaining Ring     | 237.23  | 285.06    |
| 8                                  | 178731Z    | Tank Bottom                       | 555.33  | 667.28    |
| 9                                  | 154712Z    | Drain Cap Assembly                | 47.76   | 57.39     |
| 10                                 | 178732Z    | Union Nut "C" Clip                | 12.32   | 14.80     |
| 11                                 | U11-200PSZ | Union Nut                         | 17.38   | 20.88     |
| 12                                 | 178746Z    | Union Diamond Seal                | 6.66    | 8.00      |
| 13                                 | 178733Z    | Union, Threaded Half              | 70.54   | 84.76     |
|                                    | 170099     | Separation Bag (Not Shown)        | 237.23  | 285.06    |

# SIGHT GLASS

## REPLACEMENT PARTS FOR AMERICAN PRODUCTS MODELS



Sight Glass

| Item        | Part No. | Description    | US List | Can. List |
|-------------|----------|----------------|---------|-----------|
| SIGHT GLASS |          |                |         |           |
| 2           | 51006100 | Gasket, 2 req. | 5.15    | 6.19      |
| 3           |          |                |         |           |
| 4           |          |                |         |           |

CALIFORNIA PROPOSITION 65 WARNING  
 ⚠️ **WARNING:** Cancer and Reproductive Harm.  
 ⚠️ **AVERTISSEMENT:** Peut Causer le Cancer et des Dommages au Système Reproducteur.  
 ⚠️ **ADVERTENCIA:** Cáncer y Daño Reproductivo.  
[www.p65warnings.ca.gov](http://www.p65warnings.ca.gov) PR120714

## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.