



PUMP PERFORMANCE CURVES

XRW SERIES - 60Hz



PUMP PERFORMANCE CURVE

XRW1-6".65 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-6".65**

Serial n°:

Impeller n°: **R840588**

Diameter [inch]: **10.039"**

Max. / min.:

Operational:

Rated speed [rpm]: ...

Max. / min.: **1800 / 900**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16492*...n**

Revision: **0**


Date: **04-07-25**

Customer: -

Project: -


Remarks:

Copyright reserved ©




FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



NPSHR [ft/c] / [m/c]



SPEED CURVE

PUMP PERFORMANCE CURVE

XRW1-8".65 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-8".65**

Serial n°:

Impeller n°: **R402183**

Diameter [inch]: **13.346"**

Max. / min.:

Operational:

Rated speed [rpm]: ...

Max. / min.: **1500 / 900**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16493*-...n**

Revision: **0**

Date: **04-07-25**


Customer: -

Project: -

-


Remarks:

Copyright reserved ©




FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



NPSHR [ftc] / [m]c



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-10".65 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-10".65**

Serial n°:

Impeller n°: **R402182**

Diameter [inch]: **16.732"**

Max. / min.:

Operational:

Rated speed [rpm]: ...

Max. / min.: **1000 / 600**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16495*-...n**

Revision: **0**


Date: **04-07-25**

Customer: -

Project: -



Remarks:

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

PUMP PERFORMANCE CURVE

XRW1-12".65 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-12".65**

Serial n°:

Impeller n°: **R402185**

Diameter [inch]: **20.08"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **900 / 514**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16496*...n**


Revision: **0**

Date: **04-07-25**

Customer: -



Project: -

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-16".65 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-16".65**

Serial n°:

Impeller n°: **R402187**

Diameter [inch]: **26.77"**

Max. / min.:

Operational:

Rated speed [rpm]: ...

Max. / min.: **720 / 400**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16498*...n**

Revision: **0**


Date: **04-07-25**

Customer: -

Project: -



Remarks:

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-6".40 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-6".40**

Serial n°:

Impeller n°: **R402189**

Diameter [inch]: **13.583"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]:

Max. / min.: **1800 / 900**

Medium:

Water

Temp. [°F]:

50.0

Dens. [lb/ft³]:

62

Visc. [cSt]:

1.31

General:

Curve n°: **16503*-...n**


Revision: **0**

Date: **04-07-25**

Customer: -



Project: -

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-8".40SV SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-8".40SV**

Serial n°:

Impeller n°: **R840551**

Diameter [inch]: **18.110"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **1500 / 900**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16502*-...n**


Revision: **0**

Date: **04-07-25**

Customer: -


Project: -

Copyright reserved ©




Sewage
Single suction

FAIRBANKS NIJHUIS / Xcentric



NPSHR [ftc] / [m]c



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-10".40 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-10".40**

Serial n°:

Impeller n°: **R840394**

Diameter [inch]: **22.64"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **1000 / 600**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **58797*...n**

Revision: **0**


Date: **04-07-25**

Customer: -

Project: -



-

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-12".40 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-12".40**

Serial n°:

Impeller n°: **R402149**

Diameter [inch]: **27.17"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **900 / 514**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16484*...n**


Revision: **0**

Date: **04-07-25**

Customer: -

Project: -



Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage

Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-14".40 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-14".40**

Serial n°:

Impeller n°: **L402131**

Diameter [inch]: **31.69"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **720 / 400**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16499*...n**


Revision: **0**

Date: **04-07-25**

Customer: -


Project: -

Copyright reserved ©




FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



NPSHR [ftc] / [mhc]



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-16".40 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-16".40**

Serial n°:

Impeller n°: **L402130**

Diameter [inch]: **36.22"**

Max. / min.:

Operational:

Rated speed [rpm]: ...

Max. / min.: **590 / 400**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16500*-...n**

Revision: **0**


Date: **04-07-25**

Customer: -

Project: -



Remarks:

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

PUMP PERFORMANCE CURVE

XRW1-6".30SV SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-6".30SV**

Serial n°:

Impeller n°: **R402147**

Diameter [inch]: **16.220"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **1800 / 900**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16485*...n**


Revision: **0**

Date: **04-07-25**

Customer: -



Project: -

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-8".30SV SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-8".30SV**

Serial n°:

Impeller n°: **R402153**

Diameter [inch]: **21.61"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]:

Max. / min.: **1200 / 720**

Medium:

Water

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16487*-...n**


Revision: **0**

Date: **04-07-25**

Customer: -



Project: -

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B

PUMP PERFORMANCE CURVE

XRW1-10".30 SERIES - 60HZ

PUMP PERFORMANCE CURVE

Pumptype: **XRW1-10".30**

Serial n°:

Impeller n°: **R402134**

Diameter [inch]: **27.05"**

Max. / min.:

Remarks:

Operational:

Rated speed [rpm]: ...

Max. / min.: **900 / 600**

Medium: **Water**

Temp. [°F]: **50.0**

Dens. [lb/ft³]: **62**

Visc. [cSt]: **1.31**

General:

Curve n°: **16501*-...n**


Revision: **0**

Date: **04-07-25**

Customer: -



Project: -

Copyright reserved ©



FAIRBANKS NIJHUIS / Xcentric

Sewage
Single suction



SPEED CURVE

Curves as per:
ISO9906 gr.2B



NORTH AMERICA

3601 Fairbanks Avenue
Kansas City, KS 66106
Ph: 913.371.5000

pentair.com/xrwpumps

All indicated Pentair trademarks and logos are property of Pentair. Third-party registered, and unregistered trademarks and logos are the property of their respective owners.

©2025 Pentair. All Rights Reserved.

FN015017 (07-24-2025)