

MYERS® ED-MS33PV10 SERIES

The Myers ED-MS33PV10 series sink pump system is specially designed for many household jobs. Fast, easy on-floor installation – no need to dig a sump pit. This undersink alternative is completely self-contained – pump is pre-piped and factory assembled. Components are corrosion-resistant cast iron and thermoplastic for years of extended service.


APPLICATIONS

Laundry trays, washing machines, wet bars, water softeners, dehumidifiers, etc.

FEATURES

- Specially designed for many household jobs
- Pumps water from laundry trays, washing machines, wet bars, water softeners, dehumidifiers, etc.
- High-capacity 1/3 HP pump
- Oil-filled for maximum heat dissipation and constant lubrication
- Thermal overload protection with automatic reset
- Fully assembled
- Includes discharge pipe inside basin
- Installs above floor

PUMP PERFORMANCE



ORDERING INFORMATION

Catalog Number	HP	Volts	Phase/Cycles	Amps	Discharge Size	Switch Type	Cord Length	Approx. Wt. Lbs.
ED-MS33PV10	1/3	115	1/60	3.9 FLA	1-1/2"	Automatic	10'	27



SPECIFICATIONS

- Capacities** – 60 GPM (227 LPM)
- Shut-off Head** – 24' (7.3 m)
- Operation** – On: 7-1/2" (191 mm); Off: 3" (76 mm)
- Solids Handling** – 3/16" (4.78 mm)
- Liquids Handling** – Drain water
- Intermittent Liquid Temperature** – Up to 140°F (60°C)
- Motor/Electrical Data** – 1/3 HP, 115V, 3.9A, 1Ø, 60Hz
- Shaft Seal** – Double lip seal
- Housing** – Plastic
- Power Cord** – 10' (3.1 m) 18/3
- Discharge, NPT** – 1-1/2" (38.1mm)
- Basin Material** – Polyethylene
- Basin Dimensions** – 14-1/2" w x 16" h (368 mm x 406 mm)
- Basin Capacity** – 5 Gallons | 18.9 Liters
- Basin Lid Material** – Polyethylene



USA
293 WRIGHT STREET, DELAVAN, WI 53115 WWW.FEMYERS.COM
PH: 888-987-8677 ORDERS FAX: 800-426-9446

CANADA
490 PINEBUSH ROAD, UNIT 4, CAMBRIDGE, ONTARIO N1T 0A5
PH: 800-363-7867 ORDERS FAX: 888-606-5484

Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice.