



WHOLE HOUSE ACID NEUTRALIZING SYSTEMS



APPLICATIONS

- ◆ Whole House

FEATURES • BENEFITS

- ◆ Simple, electronic system for easy programming; maintains settings during power outages
- ◆ Automatic bypass for uninterrupted water flow to the home
- ◆ Singular, rotary water control disc means longer life and lower maintenance
- ◆ Port hole for ease of media replacement
- ◆ 1.0 and 1.5 cubic foot capacities available to meet household demand requirements

SPECIFICATIONS

PART NO.	35926	35927
Rated Service Flow (gpm)	6.0	7.0
Calcium Carbon Media (cu ft)	1.0	1.5
Tank Size (dia x h)	10" x 44"	10" x 54"

VALVE SPECIFICATIONS

Valve Body	Glass-Filled Thermoplastic
Rubber Components	Compounded For Cold Water
Operating Pressure	20 - 120 psi (1.38 - 8.27 bar)
Water Temperature	40° - 100°F (4.4° - 38°C)
Ambient Temperature	40° - 100°F (4.4° - 38°C)

POWER REQUIREMENTS

Controller	
Operating Voltage	24 Volt - AC
Input Supply Frequency	50 or 60 Hz
Motor Input Voltage	24 Volt - DC
Controller System	
Power Consumption	3 Watts Average
Transformer	
Output Voltage	24 Volt - AC 500 mA
Transformer	
Input Options	115 Volt - AC 50/60 Hz



CYCLE INFORMATION

Downflow/Upflow	Downflow Only
Adjustable Cycles	Yes
4 Cycle Valve	1) Service/Home 2) Backwash 3) Slow Rinse 4) Fast Rinse

VALVE CONNECTIONS

Tank Thread	2-1/2" - 8, Male
Drain Line	3/4" NPT, Female
Standard In/Out Plumbing Connection	3/4" NPT, Male Plastic Fittings
In/Out Bypass Valve	Included

Tank Size	DIM A	DIM B	DIM C
10x44	10-1/4 in	46 in	51 in
10x54	10-1/4 in	55-7/8 in	61-1/4 in



13845 Bishops Dr. | Suite 200 | Brookfield, WI 53005 | United States
Customer Service: 800.811.3489 | systems-tech-support@pentair.com | pentair.com

§For a detailed list of where Pentair trademarks are registered, please visit www.pentair.com/registrations. Pentair trademarks and logos are owned by Pentair plc or its affiliates. Third party registered and unregistered trademarks and logos are the property of their respective owners.

© 2020 Pentair Residential Filtration, LLC. All rights reserved.

4005647 Rev A JA20